VEVOR

Upgrade · The Home Creator Way


Ozone Generator

MODEL:HS-B01-US/EU

VEVOR
Upgrade·The Home Creator Way

Ozone Generator

MODEL:HS-B01-US/EU



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

FC	This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

HS-B01-US applies to the above statement.

	This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheelie bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices.

HS-B01-EU applies to the above statement.

SAFETY INSTRUCTIONS

WARNING:


DANGER: OZONE IS TOXIC!
High concentrations of ozone can cause severe respiratory damage, pulmonary edema, and even death. Do not operate this device in enclosed spaces with people, pets, or plants. Ensure adequate ventilation during and after operation.
WARNING:
Before use, calculate room volume and set appropriate run time to avoid exceeding safe ozone levels. Ventilate for at least 60 minutes before re-entry.
WARNING:
Ozone may interfere with medical electronic devices such as pacemakers and defibrillators. Persons with cardiovascular disease, asthma, chronic lung disease, or who are pregnant should avoid exposure. Consult a physician before use if you have an implanted medical device.
CAUTION:
Ozone accelerates oxidation and aging of rubber, certain plastics, textiles, and metals. Do not use this device for extended periods in spaces containing sensitive materials (e.g., artworks, antiques, electronics).
WARNING:

This device generates high-voltage arcs. Do not use in the presence of flammable gases, vapors, or dust. Must be connected to a grounded outlet protected by an RCD/GFCI.
WARNING:
This device is for use by trained adults only. Do not allow children, persons with disabilities, or inexperienced persons to operate. Store out of reach of children.
CAUTION:
Before first use or after prolonged storage, operate the device for 30 minutes in an unoccupied, well-ventilated area to remove any accumulated impurities or odors.

Notice:
1.After purchasing, please check if there is any damage or any missing parts to the product.
2.Please operate the product underneath the water line of tank.
3.Please install the product on the flat surface.
4.When move the product, please do not take it by holding the valve, as that way may cause breakage on the valve and further cause water leakage.

PRODUCT PRINCIPLE:

The use of ozone to purify the air is the most effective and direct way to eliminate odors.
The ozone purifier synthesizes ozone by decomposing oxygen in the air through the action of high voltage current, the ozone is released from the machine into the air. When it hits molecules like smoke, the third oxygen molecule attaches itself to molecules of the pollutant and basically eliminates it. The O_3 attaches itself to odors, and other contaminants. This process eliminates the contaminant while reverting the ozone back to oxygen.The following figure is a diagram of the chemical process of ozone removing odor:



OZONE Q&A

Q: What is Ozone?

A: Ozone (O3) is a strong oxidant with extremely low content in normal ambient air. It has a special fishy odor and can play roles such as air purification at low concentrations.

Q: Is Ozone Harmful to the Body?


A: Prolonged inhalation of high-concentration ozone is harmful to the body. Do not stay beside the machine or in a confined space for a long time when the machine is operating. After the machine has finished operating, it is necessary to open the doors and windows for ventilation for about 40-60 minutes. (It is recommended that people sensitive to odors appropriately extend the ventilation time.)

Q: Is the Residual Odor after the Use of the Ozone Generator Harmful to the Human Body?A: The residual ozone odor (similar to a fishy smell) in the air after the machine stops working is harmless to the human body. Please ensure that you enter the room and open the doors and windows for ventilation after the machine has stopped. Under a well-ventilated environment,ozone will quickly decompose and dissipate.


PARAMETER LIST

Model	HS-B01-US	HS-B01-EU
Voltage	AC120V 60Hz	AC220V 50Hz
Overall power	125±10W	120±10W
Air Output Ozone	36,000mg/h	36,000mg/h


PARTS & HARDWARE



Ozone Generator*1pc




Power Cord*1pc



Warning Card*1pc

CONTROL INTRODUCTION



HS-B01-US HS-B01-EU

1. Switch ON. Power on the machine, and it will automatically switch to " Timer " mode.
2. Press the knob to choose a mode. It has two modes: " Timer " and "

CYCLE "Press the knob and the machine will switch to another mode. Pressing again will switch the mode again.
Timer " mode: it controls the working time of the machine through a countdown.
Notice, the machine will stop and rest for 8 minutes after every 30 minutes of operation. For example, Countdown Display shows " 0.50 " means the machine will work for 30 minutes and then take a 8-minute break. After that, it will work for another 12 minutes.
CYCLE " mode: it controls the cycle time of the machine through a countdown.A complete cycle is: work for 30 minutes and then stop for 60 minutes. For example," 6:00 " means it will go through 4 cycles (a complete cycle lasts for 90 minutes).
3. Turn the knob to set the timer. When in " Timer " mode, turn the knob to set the duration of this time. The maximum working time for a single session is 120minutes. When in " CYCLE " mode, turn the knob to set the duration of cycle time.The maxi-mum cycle time is 24 hours.(Attention:When it is in operation, if you press the knob again, it will stop working)

DELAY SETTING

After selecting the mode, there will be a delay of 5 seconds and the machine will start to work.

APPLICABLE SCENARIOS

COMMON PLACES:
Apartment, car, bar, basement, bathroom, bingo room, boat, casino, classroom, coffee shop, cruise ship, dormitory, hospital, hotel, kitchen, changing room, motel, nursing home, office, swimming pool halls, bars, taxis, restaurants, recreational vehicles, tour buses, yachts and other places.
You can use the ozone generator to eliminate odors.

OPERATION BEFORE

1. Before starting to purify the air, please make sure all doors and windows are closed.
2. If the space to be purified has a heating or cooling system, you can open the system to allow air to circulate, which will help ozone cover every corner.
3. Set the timer of the purifier to the appropriate time to start working. Make sure that people and pets leave the purified area during the air purification.
4. After the purification is over, please wait for 30 to 60 minutes before returning to the purification area, and open the doors and windows to maintain ventilation.

[Note]: The length of time required for ozone to purify the air depends on the concentration of odor and environmental conditions, such as altitude, humidity, air flow, space size, etc.Under normal circumstances, the time selected for the size of the environment can refer to the following table.

Air Mode

HS-B01-US	Square(Ft^2)	210	320	530	860	1200	1500
	Time(min)	10	15	20	30	45	55
	Square(Ft^2)	1800	2200	2500	2700	2900	3200
	Time(min)	70	80	90	100	110	120
HS-B01-EU	Square(M^2)	20	30	50	80	110	140
	Time(min)	10	15	20	30	45	55
	Square(M^2)	170	200	230	250	270	300
	Time(min)	70	80	90	100	110	120

CLEANING AND MAINTENANCE

1.Clean Regularly
Cleaning steps: Turn off the power, pull off the net cover of the air inlet at the rear of the machine with your hands slightly, clean the dust on it.
2. Regular cleaning of the ozone board helps to ensure the conversion efficiency of ozone. It is best to clean it once every 3 months.Cleaning steps: Turn off the power; use a screwdriver to unscrew the 8 screws on the left and right sides of the shell, and pull the shell upward; use a clean cloth dipped in alcohol to carefully wipe the metal chip and fan.
3. When not in use for a long time, please keep it in a dry place and keep it sealed.4. We come with a replaceable fuse that comes in a plastic fuse holder that can be removed and replaced when needed.

FAILURE TYPE AND TREATMENTMETHOD

1.If the product screws are loose, don't worry, this is caused by the product collision during transportation,you only need to tighten the screws.
2. If the timer has a deviation of 1-2 minutes, this is a normal phenomenon, you only need to turn the knob a little more.
3. If the machine does not work, please contact customer service, please do not disassemble it privately.

FREQUENTLY ASKED QUESTIONS

Q: What are the benefits of using this machine?A: Powerful Odor Elimination. Eliminates virtually ANY odors from cigarette/cigar smoke,pets, cooking, musty and other airborne odors.
Q: What is the difference between an ozone air purifier and air filters?A: Air filters are usually the result of physical processes with air. However, ozone air purifiers produce reactive oxygen species, removing peculiar smells and freshening the air.
Q: Will ozone remove stains and nicotine build up?A: No, ozone will not remove stains, Ozone will deodorize and help to decontaminate the problem but will not remove the actual substance.

Q: It smells like chlorine or bleach is that normal?A: This machine will produce ozone, some may think it is a little like a chlorine smell,Please rest assured that this is normal.



VEVOR

Upgrade · The Home Creator Way


Ozone Generator

MODEL:HS-B01-US/EU

VEVOR
Upgrade · The Home Creator Way

Ozone Generator

MODEL:HS-B01-US/EU



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

FC	This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

HS-B01-US applies to the above statement.

	This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheelie bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices.

HS-B01-EU applies to the above statement.

SAFETY INSTRUCTIONS

WARNING:


DANGER: OZONE IS TOXIC!
High concentrations of ozone can cause severe respiratory damage, pulmonary edema, and even death. Do not operate this device in enclosed spaces with people, pets, or plants. Ensure adequate ventilation during and after operation.
WARNING:
Before use, calculate room volume and set appropriate run time to avoid exceeding safe ozone levels. Ventilate for at least 60 minutes before re-entry.
WARNING:
Ozone may interfere with medical electronic devices such as pacemakers and defibrillators. Persons with cardiovascular disease, asthma, chronic lung disease, or who are pregnant should avoid exposure. Consult a physician before use if you have an implanted medical device.
CAUTION:
Ozone accelerates oxidation and aging of rubber, certain plastics, textiles, and metals. Do not use this device for extended periods in spaces containing sensitive materials (e.g., artworks, antiques, electronics).
WARNING:

This device generates high-voltage arcs. Do not use in the presence of flammable gases, vapors, or dust. Must be connected to a grounded outlet protected by an RCD/GFCI.
WARNING:
This device is for use by trained adults only. Do not allow children, persons with disabilities, or inexperienced persons to operate. Store out of reach of children.
CAUTION:
Before first use or after prolonged storage, operate the device for 30 minutes in an unoccupied, well-ventilated area to remove any accumulated impurities or odors.

Notice:
1.After purchasing, please check if there is any damage or any missing parts to the product.
2.Please operate the product underneath the water line of tank.
3.Please install the product on the flat surface.
4.When move the product, please do not take it by holding the valve, as that way may cause breakage on the valve and further cause water leakage.

PRODUCT PRINCIPLE:

The use of ozone to purify the air is the most effective and direct way to eliminate odors.
The ozone purifier synthesizes ozone by decomposing oxygen in the air through the action of high voltage current, the ozone is released from the machine into the air. When it hits molecules like smoke, the third oxygen molecule attaches itself to molecules of the pollutant and basically eliminates it. The O_3 attaches itself to odors, and other contaminants. This process eliminates the contaminant while reverting the ozone back to oxygen.The following figure is a diagram of the chemical process of ozone removing odor:



OZONE Q&A

Q: What is Ozone?

A: Ozone (O3) is a strong oxidant with extremely low content in normal ambient air. It has a special fishy odor and can play roles such as air purification at low concentrations.

Q: Is Ozone Harmful to the Body?


A: Prolonged inhalation of high-concentration ozone is harmful to the body. Do not stay beside the machine or in a confined space for a long time when the machine is operating. After the machine has finished operating, it is necessary to open the doors and windows for ventilation for about 40-60 minutes. (It is recommended that people sensitive to odors appropriately extend the ventilation time.)

Q: Is the Residual Odor after the Use of the Ozone Generator Harmful to the Human Body?A: The residual ozone odor (similar to a fishy smell) in the air after the machine stops working is harmless to the human body. Please ensure that you enter the room and open the doors and windows for ventilation after the machine has stopped. Under a well-ventilated environment,ozone will quickly decompose and dissipate.


PARAMETER LIST

Model	HS-B01-US	HS-B01-EU
Voltage	AC120V 60Hz	AC220V 50Hz
Overall power	125±10W	120±10W
Air Output Ozone	36,000mg/h	36,000mg/h


PARTS & HARDWARE



Ozone Generator*1pc





Power Cord*1pc



Warning Card*1pc

CONTROL INTRODUCTION





HS-B01-US HS-B01-EU

4. Switch ON. Power on the machine, and it will automatically switch to " Timer " mode.
5. Press the knob to choose a mode. It has two modes: " Timer " and "

CYCLE "Press the knob and the machine will switch to another mode. Pressing again will switch the mode again.
Timer " mode: it controls the working time of the machine through a countdown.
Notice, the machine will stop and rest for 8 minutes after every 30 minutes of operation. For example, Countdown Display shows " 0.50 " means the machine will work for 30 minutes and then take a 8-minute break. After that, it will work for another 12 minutes.
CYCLE " mode: it controls the cycle time of the machine through a countdown.A complete cycle is: work for 30 minutes and then stop for 60 minutes. For example," 6:00 " means it will go through 4 cycles (a complete cycle lasts for 90 minutes).
6. Turn the knob to set the timer. When in " Timer " mode, turn the knob to set the duration of this time. The maximum working time for a single session is 120minutes. When in " CYCLE " mode, turn the knob to set the duration of cycle time.The maxi-mum cycle time is 24 hours.(Attention:When it is in operation, if you press the knob again, it will stop working)

DELAY SETTING

After selecting the mode, there will be a delay of 5 seconds and the machine will start to work.

APPLICABLE SCENARIOS

COMMON PLACES:
Apartment, car, bar, basement, bathroom, bingo room, boat, casino, classroom, coffee shop, cruise ship, dormitory, hospital, hotel, kitchen, changing room, motel, nursing home, office, swimming pool halls, bars, taxis, restaurants, recreational vehicles, tour buses, yachts and other places.
You can use the ozone generator to eliminate odors.

OPERATION BEFORE

4. Before starting to purify the air, please make sure all doors and windows are closed.
5. If the space to be purified has a heating or cooling system, you can open the system to allow air to circulate, which will help ozone cover every corner.
6. Set the timer of the purifier to the appropriate time to start working. Make sure that people and pets leave the purified area during the air purification.
4. After the purification is over, please wait for 30 to 60 minutes before returning to the purification area, and open the doors and windows to maintain ventilation.

[Note]: The length of time required for ozone to purify the air depends on the concentration of odor and environmental conditions, such as altitude, humidity, air flow, space size, etc.Under normal circumstances, the time selected for the size of the environment can refer to the following table.

Air Mode

HS-B01-US	Square(Ft^2)	210	320	530	860	1200	1500
	Time(min)	10	15	20	30	45	55
	Square(Ft^2)	1800	2200	2500	2700	2900	3200
	Time(min)	70	80	90	100	110	120
HS-B01-EU	Square(M^2)	20	30	50	80	110	140
	Time(min)	10	15	20	30	45	55
	Square(M^2)	170	200	230	250	270	300
	Time(min)	70	80	90	100	110	120

CLEANING AND MAINTENANCE

1.Clean Regularly
Cleaning steps: Turn off the power, pull off the net cover of the air inlet at the rear of the machine with your hands slightly, clean the dust on it.
2. Regular cleaning of the ozone board helps to ensure the conversion efficiency of ozone. It is best to clean it once every 3 months.Cleaning steps: Turn off the power; use a screwdriver to unscrew the 8 screws on the left and right sides of the shell, and pull the shell upward; use a clean cloth dipped in alcohol to carefully wipe the metal chip and fan.
3. When not in use for a long time, please keep it in a dry place and keep it sealed.4. We come with a replaceable fuse that comes in a plastic fuse holder that can be removed and replaced when needed.

FAILURE TYPE AND TREATMENTMETHOD

1.If the product screws are loose, don't worry, this is caused by the product collision during transportation,you only need to tighten the screws.
2. If the timer has a deviation of 1-2 minutes, this is a normal phenomenon, you only need to turn the knob a little more.
3. If the machine does not work, please contact customer service, please do not disassemble it privately.

FREQUENTLY ASKED QUESTIONS

Q: What are the benefits of using this machine?A: Powerful Odor Elimination. Eliminates virtually ANY odors from cigarette/cigar smoke,pets, cooking, musty and other airborne odors.
Q: What is the difference between an ozone air purifier and air filters?A: Air filters are usually the result of physical processes with air. However, ozone air purifiers produce reactive oxygen species, removing peculiar smells and freshening the air.
Q: Will ozone remove stains and nicotine build up?A: No, ozone will not remove stains, Ozone will deodorize and help to decontaminate the problem but will not remove the actual substance.

Q: It smells like chlorine or bleach is that normal?A: This machine will produce ozone, some may think it is a little like a chlorine smell,Please rest assured that this is normal.



VEVOR

Upgrade · The Home Creator Way


Ozongenerator

MODELL: HS-B01-US/EU

VEVOR
Upgrade · The Home Creator Way

Ozone Generator

MODELL: HS-B01-US/EU



Dies ist die Originalanleitung. Bitte lesen Sie die gesamte Bedienungsanleitung vor der Inbetriebnahme sorgfältig durch. VEVOR behält sich die Auslegung der Bedienungsanleitung vor. Das Aussehen des Produkts kann von dem gelieferten Produkt abweichen. Wir bitten um Verständnis, dass wir Sie nicht erneut über etwaige Technologie- oder Software-Updates informieren werden .

FC	Dieses Gerät entspricht Teil 15 der FCC-Bestimmungen. Der Betrieb unterliegt den folgenden zwei Bedingungen: (1) Dieses Gerät darf keine schädlichen Störungen verursachen, und (2) dieses Gerät muss alle empfangenen Störungen akzeptieren, einschließlich solcher, die einen unerwünschten Betrieb verursachen können.

HS-B01-US gilt für die obige Aussage .

	Dieses Produkt unterliegt den Bestimmungen der europäischen Richtlinie 2012/19/EG. Das Symbol einer durchgestrichenen Mülltonne weist darauf hin, dass das Produkt in der Europäischen Union separat entsorgt werden muss. Dies gilt für das Produkt und sämtliches mit diesem Symbol gekennzeichnetes Zubehör. Produkte dieser Art dürfen nicht im normalen Hausmüll entsorgt werden, sondern müssen zu einer Sammelstelle für das Recycling von Elektro- und Elektronikgeräten gebracht werden.

Die obige Aussage ist durch HS-B01- EU abgedeckt .

SICHERHEITSHINWEISE

WARNUNG:

GEFAHR: OZON IST GIFTIG!
Hohe Ozonkonzentrationen können schwere Atemwegsschäden, Lungenödeme und sogar den Tod verursachen. Betreiben Sie dieses Gerät nicht in geschlossenen Räumen mit Personen, Haustieren oder Pflanzen. Sorgen Sie während und nach dem Betrieb für ausreichende Belüftung.
WARNUNG:
Vor Gebrauch das Raumvolumen berechnen und die Laufzeit entsprechend anpassen, um ein Überschreiten der zulässigen Ozonkonzentration zu vermeiden. Vor dem Wiedereintritt mindestens 60 Minuten lang lüften.
WARNUNG:
Ozon kann die Funktion medizinischer elektronischer Geräte wie Herzschrittmacher und Defibrillatoren beeinträchtigen. Personen mit Herz-Kreislauf-Erkrankungen, Asthma, chronischen Lungenerkrankungen oder Schwangere sollten den Kontakt mit Ozon vermeiden. Bei implantierten medizinischen Geräten konsultieren Sie vor der Anwendung einen Arzt.


VORSICHT:
Ozon beschleunigt die Oxidation und Alterung von Gummi, bestimmten Kunststoffen, Textilien und Metallen. Verwenden Sie dieses Gerät nicht über längere Zeiträume in Räumen mit empfindlichen Materialien (z. B. Kunstwerken, Antiquitäten, Elektronik).
WARNUNG:
Dieses Gerät erzeugt Hochspannungslichtbögen. Nicht in der Nähe von brennbaren Gasen, Dämpfen oder Stäuben verwenden. Muss an eine geerdete Steckdose mit FI-Schutzschalter (RCD/GFCI) angeschlossen werden.
WARNUNG:
Dieses Gerät ist nur für die Bedienung durch geschulte Erwachsene bestimmt. Kinder, Menschen mit Behinderungen oder unerfahrene Personen dürfen das Gerät nicht bedienen. Außerhalb der Reichweite von Kindern aufbewahren.
VORSICHT:
Vor dem ersten Gebrauch oder nach längerer Lagerung sollte das Gerät 30 Minuten lang in einem unbesetzten, gut belüfteten Raum betrieben werden, um eventuell angesammelte Verunreinigungen oder Gerüche zu entfernen.

Beachten:
1. Bitte überprüfen Sie nach dem Kauf, ob das Produkt beschädigt ist oder Teile fehlen.
2. Bitte betreiben Sie das Produkt unterhalb des Wasserspiegels im Tank.
3. Bitte installieren Sie das Produkt auf einer ebenen Fläche.
4. Bitte fassen Sie das Produkt beim Transport nicht am Ventil an, da dies zu einem Bruch des Ventils und in der Folge zu einem Wasseraustritt führen kann.

PRODUKTPRINZIP:

Die Verwendung von Ozon zur Luftreinigung ist die effektivste und

direkteste Methode zur Beseitigung von Schadstoffen. Gerüche .
Der Ozonreiniger synthetisiert Ozon durch die Zersetzung von Sauerstoff in die Luft durch die Wirkung von Durch Hochspannungsstrom wird Ozon freigesetzt. Maschine in die Luft. Wenn es auf Moleküle trifft. wie Rauch, der dritte Sauerstoff Das Molekül lagert sich an Moleküle des Schadstoffs an und im Grunde genommen beseitigt es. O_3 lagert sich an Gerüche und andere Verunreinigungen an.
Bei diesem Verfahren wird der Schadstoff beseitigt und das Ozon wieder in Sauerstoff umgewandelt. Die folgende Abbildung zeigt ein Diagramm des chemischen Prozesses der Geruchsbeseitigung durch Ozon :



Ozon – Fragen und Antworten



F: Was Was ist Ozon?
A: Ozon (O3) ist ein starkes Oxidationsmittel, das in normaler Umgebungsluft in extrem geringer Konzentration vorkommt. Es hat eine Sie besitzen einen besonderen fischigen Geruch und können in niedrigen Konzentrationen Funktionen wie die Luftreinigung übernehmen.
F: Ist Ozon schädlich für den Körper?
A: Längeres Einatmen von hochkonzentriertem Ozon ist gesundheitsschädlich. Halten Sie sich nicht in der Nähe auf. die Maschine oder einen geschlossenen Raum über einen längeren Zeitraum, wenn die Maschine in Betrieb ist. Nach der Die Maschine hat ihren Betrieb beendet, bitte öffnen Sie Türen und Fenster zur Belüftung. für etwa 40-60 Minuten. (Es wird empfohlen, dass geruchsempfindliche Personen dies

entsprechend anpassen.) (die Belüftungszeit verlängern.)
F: Ist der Restgeruch nach dem Gebrauch des Ozongenerators schädlich für den menschlichen Körper? A: Der Restgeruch nach Ozon (ähnlich einem fischigen Geruch) in der Luft, nachdem das Gerät abgeschaltet wurde, ist Für den menschlichen Körper unschädlich. Bitte stellen Sie sicher, dass Sie den Raum betreten und die Türen öffnen. Nach dem Abschalten der Maschine sollten Fenster zur Belüftung eingerichtet werden. In einer gut belüfteten Umgebung zersetzt sich Ozon schnell und verflüchtigt sich.


PARAMETERLISTE

Modell	HS-B01-US	HS-B01-EU
Stromspannung	A C120 V 60 Hz	A C220 V 50 Hz
Gesamtleistung	125±10W	120±10W
Ozon in der Luft	36.000 mg/h	36.000 mg/h

TEILE & HAUSHALTSWERK

 Ozongenerator*1 Stück	 Netzkabel*1 Stück	 Warnkarte*1 Stück

EINLEITUNG DER KONTROLLE



HS-B01-US HS-B01-EU

7. Einschalten. Schalten Sie das Gerät ein, und es schaltet automatisch in den "Timer"-Modus.
8. Drücken Sie den Drehknopf, um einen Modus auszuwählen. Es gibt zwei Modi: „Timer“ und „Zyklus“. Durch erneutes Drücken wechselt das Gerät in den anderen Modus.

Timer-Modus: Er steuert die Arbeitszeit der Maschine durch einen Countdown.

Bitte beachten Sie, dass die Maschine nach jeweils 30 Minuten Betrieb für 8 Minuten pausiert. Wenn die Countdown-Anzeige beispielsweise „0,50 “ anzeigt, bedeutet dies, dass die Maschine 30 Minuten arbeitet und anschließend eine 8-minütige Pause einlegt. Danach arbeitet sie weitere 12 Minuten.

Der Modus „Zyklus “ steuert die Zykluszeit der Maschine über einen Countdown. Ein vollständiger Zyklus läuft 30 Minuten lang und pausiert dann 60 Minuten. Beispielsweise bedeutet „6:00 “, dass die Maschine 4

Zyklen durchläuft (ein vollständiger Zyklus dauert 90 Minuten).

9. Drehen Sie den Knopf, um den Timer einzustellen. Im Modus „Timer “ stellen Sie mit dem Knopf die gewünschte Zeitdauer ein. Die maximale Laufzeit pro Sitzung beträgt 120 Minuten. Im Modus „Zyklus “ stellen Sie mit dem Knopf die Zyklusdauer ein. Die maximale Zyklusdauer beträgt 24 Stunden. (Achtung: Durch erneutes Drücken des Knopfes während des Betriebs wird das Gerät gestoppt.)

VERZÖGERUNGSEINSTELLUNG

Nach Auswahl des Modus erfolgt eine Verzögerung von 5 Sekunden, bevor die Maschine mit der Arbeit beginnt.

ANWENDBARE SZENARIEN

GEMEINSAME ORTE:
Wohnung, Auto, Bar, Keller, Badezimmer, Bingo-Saal, Boot, Casino, Klassenzimmer, Café, Kreuzfahrtschiff, Wohnheim, Krankenhaus, Hotel, Küche, Umkleideraum, Motel, Pflegeheim, Büro, Billardhallen, Bars, Taxis, Restaurants, Wohnmobile, Reisebusse, Yachten und andere Orte.
Mit dem Ozongenerator können Sie Gerüche beseitigen.

BETRIEB VORHER

7. Bevor Sie mit der Luftreinigung beginnen, vergewissern Sie sich bitte, dass alle Türen und Fenster geschlossen sind.
8. Verfügt der zu reinigende Raum über eine Heizungs- oder Klimaanlage, kann man diese öffnen, um die Luftzirkulation zu ermöglichen. Dadurch kann sich das Ozon in jeder Ecke verteilen.
9. Stellen Sie den Timer des Luftreinigers auf die gewünschte Startzeit ein.

Achten Sie darauf, dass sich während der Luftreinigung keine Personen oder Haustiere im gereinigten Bereich aufhalten.
4. Nach Abschluss der Reinigung warten Sie bitte 30 bis 60 Minuten, bevor Sie in den Reinigungsbereich zurückkehren, und öffnen Sie Türen und Fenster, um für Belüftung zu sorgen.
[Hinweis]: Die zur Luftreinigung mit Ozon benötigte Zeit hängt von der Geruchskonzentration und den Umgebungsbedingungen ab, wie z. B. Höhe, Luftfeuchtigkeit, Luftströmung, Raumgröße usw. Unter normalen Umständen kann die für die Raumgröße gewählte Zeit der folgenden Tabelle entnommen werden.

Luftmodus

HS-B01-US	Quadrat(Ft^2)	210	320	530	860	1200	1500
	Zeit (min)	10	15	20	30	45	55
	Quadrat(Ft^2)	1800	2200	2500	2700	2900	3200
	Zeit (min)	70	80	90	100	110	120
HS-B01-EU	Quadrat(M^2)	20	30	50	80	110	140
	Zeit (min)	10	15	20	30	45	55
	Quadrat(M^2)	170	200	230	250	270	300
	Zeit (min)	70	80	90	100	110	120

REINIGUNG UND WARTUNG

1. Regelmäßig reinigen
Reinigungsschritte: Schalten Sie das Gerät aus, ziehen Sie die Gitterabdeckung des Lufteinlasses an der Rückseite des Geräts vorsichtig mit den Händen ab und reinigen Sie sie vom Staub.

2. Die regelmäßige Reinigung der Ozonplatine trägt zur Sicherstellung der Ozon-Umwandlungseffizienz bei. Am besten reinigen Sie sie alle 3 Monate. Reinigungsschritte: Schalten Sie das Gerät aus. Lösen Sie mit einem Schraubendreher die 8 Schrauben an der linken und rechten Seite des Gehäuses und ziehen Sie das Gehäuse nach oben ab. Wischen Sie die Metallplatine und den Lüfter vorsichtig mit einem in Alkohol getränkten, sauberen Tuch ab.
3. Bei längerer Nichtbenutzung bewahren Sie das Gerät bitte an einem trockenen Ort und gut verschlossen auf. 4. Eine austauschbare Sicherung in einem Kunststoff-Sicherungshalter ist im Lieferumfang enthalten und kann bei Bedarf entnommen und ersetzt werden.

Fehlerart und Behandlungsmethode

1. Sollten die Schrauben des Produkts locker sein, keine Sorge, dies ist auf Stöße während des Transports zurückzuführen. Sie müssen die Schrauben lediglich festziehen.
2. Wenn der Timer eine Abweichung von 1-2 Minuten aufweist, ist dies ein normales Phänomen; Sie müssen den Knopf nur ein wenig weiter drehen.
3. Falls die Maschine nicht funktioniert, wenden Sie sich bitte an den Kundendienst. Nehmen Sie keine Selbstmontage vor.

HÄUFIG GESTELLTE FRAGEN

F: Welche Vorteile bietet dieses Gerät? A: Leistungsstarke Geruchsbeseitigung. Beseitigt praktisch alle Gerüche, von Zigaretten-/Zigarrenrauch über Haustiere und Kochen bis hin zu muffigen und anderen Gerüchen in der Luft.
F: Worin besteht der Unterschied zwischen einem Ozon-Luftreiniger und Luftfiltern? A: Luftfilter arbeiten üblicherweise mit physikalischen Prozessen in der Luft. Ozon-Luftreiniger hingegen erzeugen reaktive Sauerstoffspezies, die unangenehme Gerüche beseitigen und die Luft erfrischen.

F: Entfernt Ozon Flecken und Nikotinablagerungen? A: Nein, Ozon entfernt keine Flecken. Ozon desodoriert und hilft bei der Dekontamination, entfernt aber nicht die eigentliche Substanz.
F: Riecht es nach Chlor oder Bleichmittel? Ist das normal? A: Dieses Gerät produziert Ozon. Manche empfinden den Geruch möglicherweise als etwas chlorähnlich. Seien Sie versichert, das ist normal.



VEVOR

Upgrade · The Home Creator Way


Ozone Generator

MODEL:HS-B01-US/EU

VEVOR
Upgrade · The Home Creator Way

Ozone Generator

MODEL:HS-B01-US/EU



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

FC	This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

HS-B01-US applies to the above statement.

	This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheelie bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices.

HS-B01-EU applies to the above statement.

SAFETY INSTRUCTIONS

WARNING:


DANGER: OZONE IS TOXIC!
High concentrations of ozone can cause severe respiratory damage, pulmonary edema, and even death. Do not operate this device in enclosed spaces with people, pets, or plants. Ensure adequate ventilation during and after operation.
WARNING:
Before use, calculate room volume and set appropriate run time to avoid exceeding safe ozone levels. Ventilate for at least 60 minutes before re-entry.
WARNING:
Ozone may interfere with medical electronic devices such as pacemakers and defibrillators. Persons with cardiovascular disease, asthma, chronic lung disease, or who are pregnant should avoid exposure. Consult a physician before use if you have an implanted medical device.
CAUTION:
Ozone accelerates oxidation and aging of rubber, certain plastics, textiles, and metals. Do not use this device for extended periods in spaces containing sensitive materials (e.g., artworks, antiques, electronics).
WARNING:

This device generates high-voltage arcs. Do not use in the presence of flammable gases, vapors, or dust. Must be connected to a grounded outlet protected by an RCD/GFCI.
WARNING:
This device is for use by trained adults only. Do not allow children, persons with disabilities, or inexperienced persons to operate. Store out of reach of children.
CAUTION:
Before first use or after prolonged storage, operate the device for 30 minutes in an unoccupied, well-ventilated area to remove any accumulated impurities or odors.

Notice:
1.After purchasing, please check if there is any damage or any missing parts to the product.
2.Please operate the product underneath the water line of tank.
3.Please install the product on the flat surface.
4.When move the product, please do not take it by holding the valve, as that way may cause breakage on the valve and further cause water leakage.

PRODUCT PRINCIPLE:

The use of ozone to purify the air is the most effective and direct way to eliminate odors.
The ozone purifier synthesizes ozone by decomposing oxygen in the air through the action of high voltage current, the ozone is released from the machine into the air. When it hits molecules like smoke, the third oxygen molecule attaches itself to molecules of the pollutant and basically eliminates it. The O_3 attaches itself to odors, and other contaminants. This process eliminates the contaminant while reverting the ozone back to oxygen.The following figure is a diagram of the chemical process of ozone removing odor:



OZONE Q&A

Q: What is Ozone?

A: Ozone (O3) is a strong oxidant with extremely low content in normal ambient air. It has a special fishy odor and can play roles such as air purification at low concentrations.

Q: Is Ozone Harmful to the Body?


A: Prolonged inhalation of high-concentration ozone is harmful to the body. Do not stay beside the machine or in a confined space for a long time when the machine is operating. After the machine has finished operating, it is necessary to open the doors and windows for ventilation for about 40-60 minutes. (It is recommended that people sensitive to odors appropriately extend the ventilation time.)

Q: Is the Residual Odor after the Use of the Ozone Generator Harmful to the Human Body?A: The residual ozone odor (similar to a fishy smell) in the air after the machine stops working is harmless to the human body. Please ensure that you enter the room and open the doors and windows for ventilation after the machine has stopped. Under a well-ventilated environment,ozone will quickly decompose and dissipate.


PARAMETER LIST

Model	HS-B01-US	HS-B01-EU
Voltage	AC120V 60Hz	AC220V 50Hz
Overall power	125±10W	120±10W
Air Output Ozone	36,000mg/h	36,000mg/h


PARTS & HARDWARE



Ozone Generator*1pc





Power Cord*1pc



Warning Card*1pc

CONTROL INTRODUCTION





HS-B01-US HS-B01-EU

10.Switch ON. Power on the machine, and it will automatically switch to " Timer " mode.

11.Press the knob to choose a mode. It has two modes: " Timer " and "

CYCLE "Press the knob and the machine will switch to another mode. Pressing again will switch the mode again.
Timer " mode: it controls the working time of the machine through a countdown.
Notice, the machine will stop and rest for 8 minutes after every 30 minutes of operation. For example, Countdown Display shows " 0.50 " means the machine will work for 30 minutes and then take a 8-minute break. After that, it will work for another 12 minutes.
CYCLE " mode: it controls the cycle time of the machine through a countdown.A complete cycle is: work for 30 minutes and then stop for 60 minutes. For example," 6:00 " means it will go through 4 cycles (a complete cycle lasts for 90 minutes).
12.Turn the knob to set the timer. When in " Timer " mode, turn the knob to set the duration of this time. The maximum working time for a single session is 120minutes. When in " CYCLE " mode, turn the knob to set the duration of cycle time.The maxi-mum cycle time is 24 hours.(Attention:When it is in operation, if you press the knob again, it will stop working)

DELAY SETTING

After selecting the mode, there will be a delay of 5 seconds and the machine will start to work.

APPLICABLE SCENARIOS

COMMON PLACES:
Apartment, car, bar, basement, bathroom, bingo room, boat, casino, classroom, coffee shop, cruise ship, dormitory, hospital, hotel, kitchen, changing room, motel, nursing home, office, swimming pool halls, bars, taxis, restaurants, recreational vehicles, tour buses, yachts and other places.
You can use the ozone generator to eliminate odors.

OPERATION BEFORE

10.Before starting to purify the air, please make sure all doors and windows are closed.

11. If the space to be purified has a heating or cooling system, you can open the system to allow air to circulate, which will help ozone cover every corner.

12.Set the timer of the purifier to the appropriate time to start working. Make sure that people and pets leave the purified area during the air purification.

4. After the purification is over, please wait for 30 to 60 minutes before returning to the purification area, and open the doors and windows to maintain ventilation.

[Note]: The length of time required for ozone to purify the air depends on the concentration of odor and environmental conditions, such as altitude, humidity, air flow, space size, etc.Under normal circumstances, the time selected for the size of the environment can refer to the following table.

Air Mode

HS-B01-US	Square(Ft^2)	210	320	530	860	1200	1500
	Time(min)	10	15	20	30	45	55
	Square(Ft^2)	1800	2200	2500	2700	2900	3200
	Time(min)	70	80	90	100	110	120
HS-B01-EU	Square(M^2)	20	30	50	80	110	140
	Time(min)	10	15	20	30	45	55
	Square(M^2)	170	200	230	250	270	300
	Time(min)	70	80	90	100	110	120

CLEANING AND MAINTENANCE

1.Clean Regularly
Cleaning steps: Turn off the power, pull off the net cover of the air inlet at the rear of the machine with your hands slightly, clean the dust on it.
2. Regular cleaning of the ozone board helps to ensure the conversion efficiency of ozone. It is best to clean it once every 3 months.Cleaning steps: Turn off the power; use a screwdriver to unscrew the 8 screws on the left and right sides of the shell, and pull the shell upward; use a clean cloth dipped in alcohol to carefully wipe the metal chip and fan.
3. When not in use for a long time, please keep it in a dry place and keep it sealed.4. We come with a replaceable fuse that comes in a plastic fuse holder that can be removed and replaced when needed.

FAILURE TYPE AND TREATMENTMETHOD

1.If the product screws are loose, don't worry, this is caused by the product collision during transportation,you only need to tighten the screws.
2. If the timer has a deviation of 1-2 minutes, this is a normal phenomenon, you only need to turn the knob a little more.
3. If the machine does not work, please contact customer service, please do not disassemble it privately.

FREQUENTLY ASKED QUESTIONS

Q: What are the benefits of using this machine?A: Powerful Odor Elimination. Eliminates virtually ANY odors from cigarette/cigar smoke,pets, cooking, musty and other airborne odors.
Q: What is the difference between an ozone air purifier and air filters?A: Air filters are usually the result of physical processes with air. However, ozone air purifiers produce reactive oxygen species, removing peculiar smells and freshening the air.
Q: Will ozone remove stains and nicotine build up?A: No, ozone will not remove stains, Ozone will deodorize and help to decontaminate the problem but will not remove the actual substance.

Q: It smells like chlorine or bleach is that normal?A: This machine will produce ozone, some may think it is a little like a chlorine smell,Please rest assured that this is normal.



VEVOR

Upgrade · The Home Creator Way


Ozone Generator

MODEL:HS-B01-US/EU

VEVOR
Upgrade · The Home Creator Way

Ozone Generator

MODEL:HS-B01-US/EU



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

FC	This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

HS-B01-US applies to the above statement.

	This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheelie bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices.

HS-B01-EU applies to the above statement.

SAFETY INSTRUCTIONS

WARNING:


DANGER: OZONE IS TOXIC!
High concentrations of ozone can cause severe respiratory damage, pulmonary edema, and even death. Do not operate this device in enclosed spaces with people, pets, or plants. Ensure adequate ventilation during and after operation.
WARNING:
Before use, calculate room volume and set appropriate run time to avoid exceeding safe ozone levels. Ventilate for at least 60 minutes before re-entry.
WARNING:
Ozone may interfere with medical electronic devices such as pacemakers and defibrillators. Persons with cardiovascular disease, asthma, chronic lung disease, or who are pregnant should avoid exposure. Consult a physician before use if you have an implanted medical device.
CAUTION:
Ozone accelerates oxidation and aging of rubber, certain plastics, textiles, and metals. Do not use this device for extended periods in spaces containing sensitive materials (e.g., artworks, antiques, electronics).
WARNING:

This device generates high-voltage arcs. Do not use in the presence of flammable gases, vapors, or dust. Must be connected to a grounded outlet protected by an RCD/GFCI.
WARNING:
This device is for use by trained adults only. Do not allow children, persons with disabilities, or inexperienced persons to operate. Store out of reach of children.
CAUTION:
Before first use or after prolonged storage, operate the device for 30 minutes in an unoccupied, well-ventilated area to remove any accumulated impurities or odors.

Notice:
1.After purchasing, please check if there is any damage or any missing parts to the product.
2.Please operate the product underneath the water line of tank.
3.Please install the product on the flat surface.
4.When move the product, please do not take it by holding the valve, as that way may cause breakage on the valve and further cause water leakage.

PRODUCT PRINCIPLE:

The use of ozone to purify the air is the most effective and direct way to eliminate odors.
The ozone purifier synthesizes ozone by decomposing oxygen in the air through the action of high voltage current, the ozone is released from the machine into the air. When it hits molecules like smoke, the third oxygen molecule attaches itself to molecules of the pollutant and basically eliminates it. The O_3 attaches itself to odors, and other contaminants. This process eliminates the contaminant while reverting the ozone back to oxygen.The following figure is a diagram of the chemical process of ozone removing odor:



OZONE Q&A

Q: What is Ozone?

A: Ozone (O3) is a strong oxidant with extremely low content in normal ambient air. It has a special fishy odor and can play roles such as air purification at low concentrations.

Q: Is Ozone Harmful to the Body?


A: Prolonged inhalation of high-concentration ozone is harmful to the body. Do not stay beside the machine or in a confined space for a long time when the machine is operating. After the machine has finished operating, it is necessary to open the doors and windows for ventilation for about 40-60 minutes. (It is recommended that people sensitive to odors appropriately extend the ventilation time.)

Q: Is the Residual Odor after the Use of the Ozone Generator Harmful to the Human Body?A: The residual ozone odor (similar to a fishy smell) in the air after the machine stops working is harmless to the human body. Please ensure that you enter the room and open the doors and windows for ventilation after the machine has stopped. Under a well-ventilated environment,ozone will quickly decompose and dissipate.


PARAMETER LIST

Model	HS-B01-US	HS-B01-EU
Voltage	AC120V 60Hz	AC220V 50Hz
Overall power	125±10W	120±10W
Air Output Ozone	36,000mg/h	36,000mg/h


PARTS & HARDWARE



Ozone Generator*1pc





Power Cord*1pc



Warning Card*1pc

CONTROL INTRODUCTION





HS-B01-US HS-B01-EU

13.Switch ON. Power on the machine, and it will automatically switch to " Timer " mode.

14.Press the knob to choose a mode. It has two modes: " Timer " and "

CYCLE "Press the knob and the machine will switch to another mode. Pressing again will switch the mode again.
Timer " mode: it controls the working time of the machine through a countdown.
Notice, the machine will stop and rest for 8 minutes after every 30 minutes of operation. For example, Countdown Display shows " 0.50 " means the machine will work for 30 minutes and then take a 8-minute break. After that, it will work for another 12 minutes.
CYCLE " mode: it controls the cycle time of the machine through a countdown.A complete cycle is: work for 30 minutes and then stop for 60 minutes. For example," 6:00 " means it will go through 4 cycles (a complete cycle lasts for 90 minutes).
15.Turn the knob to set the timer. When in " Timer " mode, turn the knob to set the duration of this time. The maximum working time for a single session is 120minutes. When in " CYCLE " mode, turn the knob to set the duration of cycle time.The maxi-mum cycle time is 24 hours.(Attention:When it is in operation, if you press the knob again, it will stop working)

DELAY SETTING

After selecting the mode, there will be a delay of 5 seconds and the machine will start to work.

APPLICABLE SCENARIOS

COMMON PLACES:
Apartment, car, bar, basement, bathroom, bingo room, boat, casino, classroom, coffee shop, cruise ship, dormitory, hospital, hotel, kitchen, changing room, motel, nursing home, office, swimming pool halls, bars, taxis, restaurants, recreational vehicles, tour buses, yachts and other places.
You can use the ozone generator to eliminate odors.

OPERATION BEFORE

13.Before starting to purify the air, please make sure all doors and windows are closed.
14.If the space to be purified has a heating or cooling system, you can open the system to allow air to circulate, which will help ozone cover every corner.
15.Set the timer of the purifier to the appropriate time to start working. Make sure that people and pets leave the purified area during the air purification.
4. After the purification is over, please wait for 30 to 60 minutes before returning to the purification area, and open the doors and windows to maintain ventilation.
[Note]: The length of time required for ozone to purify the air depends on the concentration of odor and environmental conditions, such as altitude, humidity, air flow, space size, etc.Under normal circumstances, the time selected for the size of the environment can refer to the following table.
Air Mode

HS-B01-US	Square(Ft^2)	210	320	530	860	1200	1500
	Time(min)	10	15	20	30	45	55
	Square(Ft^2)	1800	2200	2500	2700	2900	3200
	Time(min)	70	80	90	100	110	120
HS-B01-EU	Square(M^2)	20	30	50	80	110	140
	Time(min)	10	15	20	30	45	55
	Square(M^2)	170	200	230	250	270	300
	Time(min)	70	80	90	100	110	120

CLEANING AND MAINTENANCE

1.Clean Regularly
Cleaning steps: Turn off the power, pull off the net cover of the air inlet at the rear of the machine with your hands slightly, clean the dust on it.
2. Regular cleaning of the ozone board helps to ensure the conversion efficiency of ozone. It is best to clean it once every 3 months.Cleaning steps: Turn off the power; use a screwdriver to unscrew the 8 screws on the left and right sides of the shell, and pull the shell upward; use a clean cloth dipped in alcohol to carefully wipe the metal chip and fan.
3. When not in use for a long time, please keep it in a dry place and keep it sealed.4. We come with a replaceable fuse that comes in a plastic fuse holder that can be removed and replaced when needed.

FAILURE TYPE AND TREATMENTMETHOD

1.If the product screws are loose, don't worry, this is caused by the product collision during transportation,you only need to tighten the screws.
2. If the timer has a deviation of 1-2 minutes, this is a normal phenomenon, you only need to turn the knob a little more.
3. If the machine does not work, please contact customer service, please do not disassemble it privately.

FREQUENTLY ASKED QUESTIONS

Q: What are the benefits of using this machine?A: Powerful Odor Elimination. Eliminates virtually ANY odors from cigarette/cigar smoke,pets, cooking, musty and other airborne odors.
Q: What is the difference between an ozone air purifier and air filters?A: Air filters are usually the result of physical processes with air. However, ozone air purifiers produce reactive oxygen species, removing peculiar smells and freshening the air.
Q: Will ozone remove stains and nicotine build up?A: No, ozone will not remove stains, Ozone will deodorize and help to decontaminate the problem but will not remove the actual substance.

Q: It smells like chlorine or bleach is that normal?A: This machine will produce ozone, some may think it is a little like a chlorine smell,Please rest assured that this is normal.



VEVOR

Upgrade · The Home Creator Way


Ozone Generator

MODEL:HS-B01-US/EU

VEVOR
Upgrade · The Home Creator Way

Ozone Generator

MODEL:HS-B01-US/EU



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

FC	This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

HS-B01-US applies to the above statement.

	This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheelie bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices.

HS-B01-EU applies to the above statement.

SAFETY INSTRUCTIONS

WARNING:


DANGER: OZONE IS TOXIC!
High concentrations of ozone can cause severe respiratory damage, pulmonary edema, and even death. Do not operate this device in enclosed spaces with people, pets, or plants. Ensure adequate ventilation during and after operation.
WARNING:
Before use, calculate room volume and set appropriate run time to avoid exceeding safe ozone levels. Ventilate for at least 60 minutes before re-entry.
WARNING:
Ozone may interfere with medical electronic devices such as pacemakers and defibrillators. Persons with cardiovascular disease, asthma, chronic lung disease, or who are pregnant should avoid exposure. Consult a physician before use if you have an implanted medical device.
CAUTION:
Ozone accelerates oxidation and aging of rubber, certain plastics, textiles, and metals. Do not use this device for extended periods in spaces containing sensitive materials (e.g., artworks, antiques, electronics).
WARNING:

This device generates high-voltage arcs. Do not use in the presence of flammable gases, vapors, or dust. Must be connected to a grounded outlet protected by an RCD/GFCI.
WARNING:
This device is for use by trained adults only. Do not allow children, persons with disabilities, or inexperienced persons to operate. Store out of reach of children.
CAUTION:
Before first use or after prolonged storage, operate the device for 30 minutes in an unoccupied, well-ventilated area to remove any accumulated impurities or odors.

Notice:
1.After purchasing, please check if there is any damage or any missing parts to the product.
2.Please operate the product underneath the water line of tank.
3.Please install the product on the flat surface.
4.When move the product, please do not take it by holding the valve, as that way may cause breakage on the valve and further cause water leakage.

PRODUCT PRINCIPLE:

The use of ozone to purify the air is the most effective and direct way to eliminate odors.
The ozone purifier synthesizes ozone by decomposing oxygen in the air through the action of high voltage current, the ozone is released from the machine into the air. When it hits molecules like smoke, the third oxygen molecule attaches itself to molecules of the pollutant and basically eliminates it. The O_3 attaches itself to odors, and other contaminants. This process eliminates the contaminant while reverting the ozone back to oxygen.The following figure is a diagram of the chemical process of ozone removing odor:



OZONE Q&A

Q: What is Ozone?

A: Ozone (O3) is a strong oxidant with extremely low content in normal ambient air. It has a special fishy odor and can play roles such as air purification at low concentrations.

Q: Is Ozone Harmful to the Body?


A: Prolonged inhalation of high-concentration ozone is harmful to the body. Do not stay beside the machine or in a confined space for a long time when the machine is operating. After the machine has finished operating, it is necessary to open the doors and windows for ventilation for about 40-60 minutes. (It is recommended that people sensitive to odors appropriately extend the ventilation time.)

Q: Is the Residual Odor after the Use of the Ozone Generator Harmful to the Human Body?A: The residual ozone odor (similar to a fishy smell) in the air after the machine stops working is harmless to the human body. Please ensure that you enter the room and open the doors and windows for ventilation after the machine has stopped. Under a well-ventilated environment,ozone will quickly decompose and dissipate.


PARAMETER LIST

Model	HS-B01-US	HS-B01-EU
Voltage	AC120V 60Hz	AC220V 50Hz
Overall power	125±10W	120±10W
Air Output Ozone	36,000mg/h	36,000mg/h


PARTS & HARDWARE



Ozone Generator*1pc





Power Cord*1pc



Warning Card*1pc

CONTROL INTRODUCTION





HS-B01-US HS-B01-EU

16.Switch ON. Power on the machine, and it will automatically switch to " Timer " mode.

17.Press the knob to choose a mode. It has two modes: " Timer " and "

CYCLE "Press the knob and the machine will switch to another mode. Pressing again will switch the mode again.
Timer " mode: it controls the working time of the machine through a countdown.
Notice, the machine will stop and rest for 8 minutes after every 30 minutes of operation. For example, Countdown Display shows " 0.50 " means the machine will work for 30 minutes and then take a 8-minute break. After that, it will work for another 12 minutes.
CYCLE " mode: it controls the cycle time of the machine through a countdown.A complete cycle is: work for 30 minutes and then stop for 60 minutes. For example," 6:00 " means it will go through 4 cycles (a complete cycle lasts for 90 minutes).
18.Turn the knob to set the timer. When in " Timer " mode, turn the knob to set the duration of this time. The maximum working time for a single session is 120minutes. When in " CYCLE " mode, turn the knob to set the duration of cycle time.The maxi-mum cycle time is 24 hours.(Attention:When it is in operation, if you press the knob again, it will stop working)

DELAY SETTING

After selecting the mode, there will be a delay of 5 seconds and the machine will start to work.

APPLICABLE SCENARIOS

COMMON PLACES:
Apartment, car, bar, basement, bathroom, bingo room, boat, casino, classroom, coffee shop, cruise ship, dormitory, hospital, hotel, kitchen, changing room, motel, nursing home, office, swimming pool halls, bars, taxis, restaurants, recreational vehicles, tour buses, yachts and other places.
You can use the ozone generator to eliminate odors.

OPERATION BEFORE

16.Before starting to purify the air, please make sure all doors and windows are closed.
17.If the space to be purified has a heating or cooling system, you can open the system to allow air to circulate, which will help ozone cover every corner.
18.Set the timer of the purifier to the appropriate time to start working. Make sure that people and pets leave the purified area during the air purification.
4. After the purification is over, please wait for 30 to 60 minutes before returning to the purification area, and open the doors and windows to maintain ventilation.
[Note]: The length of time required for ozone to purify the air depends on the concentration of odor and environmental conditions, such as altitude, humidity, air flow, space size, etc.Under normal circumstances, the time selected for the size of the environment can refer to the following table.
Air Mode

HS-B01-US	Square(Ft^2)	210	320	530	860	1200	1500
	Time(min)	10	15	20	30	45	55
	Square(Ft^2)	1800	2200	2500	2700	2900	3200
	Time(min)	70	80	90	100	110	120
HS-B01-EU	Square(M^2)	20	30	50	80	110	140
	Time(min)	10	15	20	30	45	55
	Square(M^2)	170	200	230	250	270	300
	Time(min)	70	80	90	100	110	120

CLEANING AND MAINTENANCE

1.Clean Regularly
Cleaning steps: Turn off the power, pull off the net cover of the air inlet at the rear of the machine with your hands slightly, clean the dust on it.
2. Regular cleaning of the ozone board helps to ensure the conversion efficiency of ozone. It is best to clean it once every 3 months.Cleaning steps: Turn off the power; use a screwdriver to unscrew the 8 screws on the left and right sides of the shell, and pull the shell upward; use a clean cloth dipped in alcohol to carefully wipe the metal chip and fan.
3. When not in use for a long time, please keep it in a dry place and keep it sealed.4. We come with a replaceable fuse that comes in a plastic fuse holder that can be removed and replaced when needed.

FAILURE TYPE AND TREATMENTMETHOD

1.If the product screws are loose, don't worry, this is caused by the product collision during transportation,you only need to tighten the screws.
2. If the timer has a deviation of 1-2 minutes, this is a normal phenomenon, you only need to turn the knob a little more.
3. If the machine does not work, please contact customer service, please do not disassemble it privately.

FREQUENTLY ASKED QUESTIONS

Q: What are the benefits of using this machine?A: Powerful Odor Elimination. Eliminates virtually ANY odors from cigarette/cigar smoke,pets, cooking, musty and other airborne odors.
Q: What is the difference between an ozone air purifier and air filters?A: Air filters are usually the result of physical processes with air. However, ozone air purifiers produce reactive oxygen species, removing peculiar smells and freshening the air.
Q: Will ozone remove stains and nicotine build up?A: No, ozone will not remove stains, Ozone will deodorize and help to decontaminate the problem but will not remove the actual substance.

Q: It smells like chlorine or bleach is that normal?A: This machine will produce ozone, some may think it is a little like a chlorine smell,Please rest assured that this is normal.



VEVOR

Upgrade · The Home Creator Way


Ozongenerator

MODEL: HS-B01-US/EU

VEVOR
Upgrade · The Home Creator Way

Ozone Generator

MODEL: HS-B01-US/EU



Dit is de originele handleiding. Lees alle instructies in de handleiding zorgvuldig door voordat u het product in gebruik neemt. VEVOR behoudt zich het recht voor om de gebruikershandleiding anders te interpreteren. Het uiterlijk van het product kan afwijken van het product dat u ontvangt. Wij zullen u niet opnieuw informeren over eventuele technologische of software-updates voor ons product.

FC	Dit apparaat voldoet aan Deel 15 van de FCC-regels. De werking is onderworpen aan de volgende twee voorwaarden: (1) Dit apparaat mag geen schadelijke interferentie veroorzaken, en (2) dit apparaat moet alle ontvangen interferentie accepteren, inclusief interferentie die een ongewenste werking kan veroorzaken.

HS-B01-US is van toepassing op bovenstaande verklaring .

	Dit product valt onder de bepalingen van de Europese Richtlijn 2012/19/EC. Het symbool met een doorgestreepte afvalcontainer geeft aan dat het product in de Europese Unie apart moet worden ingezameld. Dit geldt voor het product en alle accessoires die met dit symbool zijn gemarkeerd. Producten die zo zijn gemarkeerd, mogen niet bij het normale huisvuil worden weggegooid, maar moeten worden ingeleverd bij een inzamelpunt voor de recycling van elektrische en elektronische apparaten.

HS-B01- EU is van toepassing op bovenstaande verklaring .

VEILIGHEIDSINSTRUCTIES

WAARSCHUWING:

GEVAAR: OZON IS GIFTIG!
Hoge concentraties ozon kunnen ernstige ademhalingsproblemen, longoedeem en zelfs de dood veroorzaken. Gebruik dit apparaat niet in afgesloten ruimtes met mensen, huisdieren of planten. Zorg voor voldoende ventilatie tijdens en na gebruik.
WAARSCHUWING:
Bereken vóór gebruik het volume van de ruimte en stel de juiste gebruiksduur in om te voorkomen dat de veilige ozonconcentratie wordt overschreden. Ventileer de ruimte minimaal 60 minuten voordat u deze weer betreedt.
WAARSCHUWING:
Ozon kan de werking van medische elektronische apparaten zoals pacemakers en defibrillatoren verstoren. Personen met hart- en vaatziekten, astma, chronische longziekten of zwangere vrouwen dienen blootstelling te vermijden. Raadpleeg een arts vóór gebruik als u een geïmplanteerd medisch apparaat heeft.
VOORZICHTIGHEID:


Ozon versnelt de oxidatie en veroudering van rubber, bepaalde kunststoffen, textiel en metalen. Gebruik dit apparaat niet gedurende langere perioden in ruimtes met gevoelige materialen (bijv. kunstwerken, antiek, elektronica).
WAARSCHUWING:
Dit apparaat genereert hoogspanningsbogen. Niet gebruiken in de aanwezigheid van brandbare gassen, dampen of stof. Moet worden aangesloten op een geaard stopcontact dat is beveiligd met een aardlekschakelaar (RCD/GFCI).
WAARSCHUWING:
Dit apparaat is uitsluitend bedoeld voor gebruik door getrainde volwassenen. Laat kinderen, personen met een beperking of onervaren personen het apparaat niet bedienen. Buiten het bereik van kinderen bewaren.
VOORZICHTIGHEID:
Laat het apparaat vóór het eerste gebruik of na langdurige opslag 30 minuten draaien in een onbezette, goed geventileerde ruimte om eventuele opgehoopte onzuiverheden of geuren te verwijderen.

Kennisgeving:
1. Controleer na aankoop of het product beschadigd is of dat er onderdelen ontbreken.
2. Gebruik het product onder de waterlijn van de tank.
3. Installeer het product op een vlakke ondergrond.
4. Wanneer u het product verplaatst, pak het dan niet vast aan het ventiel, aangezien dit het ventiel kan beschadigen en waterlekkage kan veroorzaken.

PRODUCTPRINCIPE:

Het gebruik van ozon voor luchtzuivering is de meest effectieve en directe manier om schadelijke stoffen te elimineren. geuren .
De ozonzuiveraar produceert ozon door zuurstof te ontleden in de lucht

door de werking van bij hoge spanning komt de ozon vrij uit de machine in de lucht. Wanneer het moleculen raakt net als rook, de derde zuurstof Het molecuul hecht zich aan moleculen van de verontreinigende stof en in principe elimineert het. De O_3 hecht zich $_{aan}$ geuren en andere verontreinigingen.
Dit proces verwijdert de verontreiniging en zet de ozon weer om in zuurstof. De volgende afbeelding is een schematische weergave van het chemische proces waarbij ozon geuren verwijdert :



Vragen en antwoorden over ozon



V: Wat Wat is ozon?
A: Ozon (O3) is een sterke oxidator met een extreem lage concentratie in normale omgevingslucht. Het heeft een Het heeft een kenmerkende visachtige geur en kan bij lage concentraties bijvoorbeeld de lucht zuiveren.
V: Is ozon schadelijk voor het lichaam?
A: Langdurige inademing van ozon met een hoge concentratie is schadelijk voor het lichaam. Blijf niet in de buurt van de machine of in een afgesloten ruimte gedurende lange tijd terwijl de machine in werking is. Na de De machine is klaar met werken, het is noodzakelijk om de deuren en ramen te openen voor ventilatie. gedurende ongeveer 40-60 minuten. (Het wordt aanbevolen dat mensen die gevoelig zijn voor geuren, de juiste voorzorgsmaatregelen nemen.) (verleng de ventilatietijd.)
V: Is de resterende geur na gebruik van de ozongenerator schadelijk voor

het menselijk lichaam? A: De resterende ozongeur (vergelijkbaar met een vislucht) in de lucht nadat het apparaat is uitgeschakeld, is onschadelijk voor het menselijk lichaam. Zorg ervoor dat u de kamer betreedt en de deuren opent. Zorg voor ventilatie na het uitschakelen van de machine. In een goed geventileerde omgeving zal ozon snel afbreken en verdwijnen.


PARAMETERLIJST

Model	HS-B01-US	HS-B01-EU
Spanning	Een C120 V 60 Hz	Een C220 V 50 Hz
Totaal vermogen	125±10W	120±10W
Luchtuitstoot ozon	36.000 mg/u	36.000 mg/u

ONDERDELEN & HARDWARE

 Ozongenerator*1 stuk	 Stroomkabel*1 stuk	 Waarschuwingskaart*1 stuk

INLEIDING VAN DE CONTROLE



HS-B01-VS HS-B01-EU

19.Schakel het apparaat in. Zet de stroom aan en het schakelt automatisch over naar de "Timer"-modus.

20.Druk op de knop om een modus te kiezen. Er zijn twee modi: "Timer" en "CYCLE". Druk op de knop en het apparaat schakelt over naar een andere modus. Door nogmaals te drukken, schakelt u weer van modus.

Timermodus: deze regelt de werktijd van de machine door middel van een aftelling.

Let op: de machine stopt en rust 8 minuten na elke 30 minuten gebruik. Als de aftelweergave bijvoorbeeld "0,50" aangeeft, betekent dit dat de machine 30 minuten werkt en vervolgens 8 minuten pauzeert. Daarna werkt de machine weer 12 minuten.

"CYCLE"-modus: deze regelt de cyclustijd van de machine via een aftelling. Een volledige cyclus is: 30 minuten werken en vervolgens 60 minuten stoppen. Bijvoorbeeld: "6:00" betekent dat de machine 4 cycli doorloopt (een volledige cyclus duurt 90 minuten).

21.Draai aan de knop om de timer in te stellen. In de "Timer"-modus draait u aan de knop om de gewenste tijdsduur in te stellen. De maximale werktijd voor één sessie is 120 minuten. In de "CYCLE"-modus draait u aan de knop om de duur van de cyclus in te stellen. De maximale cyclusduur is 24 uur. (Let op: Als u tijdens gebruik nogmaals op de knop drukt, stopt het apparaat.)

VERTRAGINGSINSTELLING

Na het selecteren van de modus is er een vertraging van 5 seconden, waarna het apparaat begint te werken.

TOEPASSELIJKE SCENARIO'S

GEMEENSCHAPPELIJKE PLEKKEN:
Appartement, auto, bar, kelder, badkamer, bingoruimte, boot, casino, klaslokaal, koffiehuis, cruiseschip, studentenflat, ziekenhuis, hotel, keuken, kleedkamer, motel, verzorgingstehuis, kantoor, zwembaden, bars, taxi's, restaurants, recreatievoertuigen, touringcars, jachten en andere plaatsen.
Je kunt de ozongenerator gebruiken om geuren te verwijderen.

WERKING VÓÓR

19.Voordat u begint met het zuiveren van de lucht, dient u ervoor te zorgen dat alle deuren en ramen gesloten zijn.
20.Als de te zuiveren ruimte een verwarmings- of koelsysteem heeft, kunt u dit systeem openen om de lucht te laten circuleren. Hierdoor kan de ozon elke hoek bereiken.
21.Stel de timer van de luchtreiniger in op de juiste tijd. Zorg ervoor dat mensen en huisdieren de te reinigen ruimte verlaten tijdens de luchtreiniging.
4. Nadat de zuivering is voltooid, dient u 30 tot 60 minuten te wachten voordat u de zuiveringsruimte weer betreedt. Open in dat geval de deuren en ramen om te zorgen voor ventilatie.
[Opmerking]: De tijd die nodig is voor ozon om de lucht te zuiveren, hangt af van de concentratie van de geur en omgevingsfactoren zoals hoogte, luchtvochtigheid, luchtstroom, grootte van de ruimte, enz. Onder normale omstandigheden kan de te kiezen tijd, afhankelijk van de grootte van de ruimte, worden geraadpleegd in de onderstaande tabel.
Luchtmodus

HS-B01-US	Vierkante (voet ^{2})	210	320	530	860	1200	1500
	Tijd (min)	10	15	20	30	45	55
	Vierkante (voet ^{2})	1800	2200	2500	2700	2900	3200
	Tijd (min)	70	80	90	100	110	120
HS-B01-EU	Vierkant (M ^{2})	20	30	50	80	110	140
	Tijd (min)	10	15	20	30	45	55
	Vierkant (M ^{2})	170	200	230	250	270	300
	Tijd (min)	70	80	90	100	110	120

REINIGING EN ONDERHOUD

1. Regelmatig schoonmaken
Reinigingsinstructies: Schakel de stroom uit, trek het gaasdeksel van de luchtinlaat aan de achterkant van het apparaat voorzichtig met uw handen los en verwijder het stof.
2. Regelmatige reiniging van de ozonprintplaat helpt de omzettingsefficiëntie van ozon te garanderen. Het is het beste om deze eens in de 3 maanden te reinigen. Reinigingsstappen: Schakel de stroom uit; gebruik een schroevendraaier om de 8 schroeven aan de linker- en rechterkant van de behuizing los te draaien en trek de behuizing omhoog; gebruik een schone doek gedrenkt in alcohol om de metalen chip en de ventilator voorzichtig af te vegen.
3. Bewaar het apparaat, indien het langere tijd niet in gebruik is, op een droge plaats en in een afgesloten verpakking. 4. Het apparaat wordt geleverd met een vervangbare zekering in een plastic zekeringhouder die indien nodig kan worden verwijderd en vervangen.

SOORT FOUT EN BEHANDELINGSMETHODE

1. Als de schroeven van het product loszitten, hoeft u zich geen zorgen te maken. Dit komt door een botsing tijdens het transport. U hoeft de schroeven alleen maar vast te draaien.
2. Als de timer 1-2 minuten afwijkt, is dit normaal. U hoeft de knop dan slechts iets verder te draaien.
3. Als de machine niet werkt, neem dan contact op met de klantenservice. Demonteer de machine alstublieft niet zelf.

VEELGESTELDE VRAGEN

V: Wat zijn de voordelen van het gebruik van dit apparaat? A: Krachtige geurverwijdering. Verwijdert vrijwel alle geuren, zoals sigaretten-/sigarenrook, huisdieren, kookluchtjes, muffe lucht en andere geuren in de lucht.
V: Wat is het verschil tussen een ozonluchtreiniger en luchtfilters? A: Luchtfilters zijn meestal het resultaat van fysische processen met lucht. Ozonluchtreinigers produceren echter reactieve zuurstofsoorten, waardoor onaangename geuren worden verwijderd en de lucht wordt verfrist.
V: Verwijdert ozon vlekken en nicotineophoping? A: Nee, ozon verwijdert geen vlekken. Ozon ontgeurt en helpt bij het ontsmetten van het probleem, maar verwijdert de stof zelf niet.
V: Het ruikt naar chloor of bleekmiddel, is dat normaal? A: Deze machine produceert ozon. Sommigen vinden de geur misschien een beetje chloorachtig. Wees gerust, dit is normaal.



VEVOR

Upgrade · The Home Creator Way


Ozone Generator

MODEL:HS-B01-US/EU

VEVOR
Upgrade · The Home Creator Way

Ozone Generator

MODEL:HS-B01-US/EU



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

FC	This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:(1)This device may not cause harmful interference, and (2)this device must accept any interference received, including interference that may cause undesired operation.

HS-B01-US applies to the above statement.

	This product is subject to the provision of European Directive 2012/19/EC. The symbol showing a wheelie bin crossed through indicates that the product requires separate refuse collection in the European Union. This applies to the product and all accessories marked with this symbol. Products marked as such may not be discarded with normal domestic waste, but must be taken to a collection point for recycling electrical and electronic devices.

HS-B01-EU applies to the above statement.

SAFETY INSTRUCTIONS

WARNING:


DANGER: OZONE IS TOXIC!
High concentrations of ozone can cause severe respiratory damage, pulmonary edema, and even death. Do not operate this device in enclosed spaces with people, pets, or plants. Ensure adequate ventilation during and after operation.
WARNING:
Before use, calculate room volume and set appropriate run time to avoid exceeding safe ozone levels. Ventilate for at least 60 minutes before re-entry.
WARNING:
Ozone may interfere with medical electronic devices such as pacemakers and defibrillators. Persons with cardiovascular disease, asthma, chronic lung disease, or who are pregnant should avoid exposure. Consult a physician before use if you have an implanted medical device.
CAUTION:
Ozone accelerates oxidation and aging of rubber, certain plastics, textiles, and metals. Do not use this device for extended periods in spaces containing sensitive materials (e.g., artworks, antiques, electronics).
WARNING:

This device generates high-voltage arcs. Do not use in the presence of flammable gases, vapors, or dust. Must be connected to a grounded outlet protected by an RCD/GFCI.
WARNING:
This device is for use by trained adults only. Do not allow children, persons with disabilities, or inexperienced persons to operate. Store out of reach of children.
CAUTION:
Before first use or after prolonged storage, operate the device for 30 minutes in an unoccupied, well-ventilated area to remove any accumulated impurities or odors.

Notice:
1.After purchasing, please check if there is any damage or any missing parts to the product.
2.Please operate the product underneath the water line of tank.
3.Please install the product on the flat surface.
4.When move the product, please do not take it by holding the valve, as that way may cause breakage on the valve and further cause water leakage.

PRODUCT PRINCIPLE:

The use of ozone to purify the air is the most effective and direct way to eliminate odors.
The ozone purifier synthesizes ozone by decomposing oxygen in the air through the action of high voltage current, the ozone is released from the machine into the air. When it hits molecules like smoke, the third oxygen molecule attaches itself to molecules of the pollutant and basically eliminates it. The O_3 attaches itself to odors, and other contaminants. This process eliminates the contaminant while reverting the ozone back to oxygen.The following figure is a diagram of the chemical process of ozone removing odor:



OZONE Q&A

Q: What is Ozone?

A: Ozone (O3) is a strong oxidant with extremely low content in normal ambient air. It has a special fishy odor and can play roles such as air purification at low concentrations.

Q: Is Ozone Harmful to the Body?


A: Prolonged inhalation of high-concentration ozone is harmful to the body. Do not stay beside the machine or in a confined space for a long time when the machine is operating. After the machine has finished operating, it is necessary to open the doors and windows for ventilation for about 40-60 minutes. (It is recommended that people sensitive to odors appropriately extend the ventilation time.)

Q: Is the Residual Odor after the Use of the Ozone Generator Harmful to the Human Body?A: The residual ozone odor (similar to a fishy smell) in the air after the machine stops working is harmless to the human body. Please ensure that you enter the room and open the doors and windows for ventilation after the machine has stopped. Under a well-ventilated environment,ozone will quickly decompose and dissipate.


PARAMETER LIST

Model	HS-B01-US	HS-B01-EU
Voltage	AC120V 60Hz	AC220V 50Hz
Overall power	125±10W	120±10W
Air Output Ozone	36,000mg/h	36,000mg/h


PARTS & HARDWARE



Ozone Generator*1pc





Power Cord*1pc



Warning Card*1pc

CONTROL INTRODUCTION





HS-B01-US HS-B01-EU

22.Switch ON. Power on the machine, and it will automatically switch to " Timer " mode.

23.Press the knob to choose a mode. It has two modes: " Timer " and "

CYCLE "Press the knob and the machine will switch to another mode. Pressing again will switch the mode again.
Timer " mode: it controls the working time of the machine through a countdown.
Notice, the machine will stop and rest for 8 minutes after every 30 minutes of operation. For example, Countdown Display shows " 0.50 " means the machine will work for 30 minutes and then take a 8-minute break. After that, it will work for another 12 minutes.
CYCLE " mode: it controls the cycle time of the machine through a countdown.A complete cycle is: work for 30 minutes and then stop for 60 minutes. For example," 6:00 " means it will go through 4 cycles (a complete cycle lasts for 90 minutes).
24.Turn the knob to set the timer. When in " Timer " mode, turn the knob to set the duration of this time. The maximum working time for a single session is 120minutes. When in " CYCLE " mode, turn the knob to set the duration of cycle time.The maxi-mum cycle time is 24 hours.(Attention:When it is in operation, if you press the knob again, it will stop working)

DELAY SETTING

After selecting the mode, there will be a delay of 5 seconds and the machine will start to work.

APPLICABLE SCENARIOS

COMMON PLACES:
Apartment, car, bar, basement, bathroom, bingo room, boat, casino, classroom, coffee shop, cruise ship, dormitory, hospital, hotel, kitchen, changing room, motel, nursing home, office, swimming pool halls, bars, taxis, restaurants, recreational vehicles, tour buses, yachts and other places.
You can use the ozone generator to eliminate odors.

OPERATION BEFORE

22.Before starting to purify the air, please make sure all doors and windows are closed.
23.If the space to be purified has a heating or cooling system, you can open the system to allow air to circulate, which will help ozone cover every corner.
24.Set the timer of the purifier to the appropriate time to start working. Make sure that people and pets leave the purified area during the air purification.
4. After the purification is over, please wait for 30 to 60 minutes before returning to the purification area, and open the doors and windows to maintain ventilation.
[Note]: The length of time required for ozone to purify the air depends on the concentration of odor and environmental conditions, such as altitude, humidity, air flow, space size, etc.Under normal circumstances, the time selected for the size of the environment can refer to the following table.
Air Mode

HS-B01-US	Square(Ft^2)	210	320	530	860	1200	1500
	Time(min)	10	15	20	30	45	55
	Square(Ft^2)	1800	2200	2500	2700	2900	3200
	Time(min)	70	80	90	100	110	120
HS-B01-EU	Square(M^2)	20	30	50	80	110	140
	Time(min)	10	15	20	30	45	55
	Square(M^2)	170	200	230	250	270	300
	Time(min)	70	80	90	100	110	120

CLEANING AND MAINTENANCE

1.Clean Regularly
Cleaning steps: Turn off the power, pull off the net cover of the air inlet at the rear of the machine with your hands slightly, clean the dust on it.
2. Regular cleaning of the ozone board helps to ensure the conversion efficiency of ozone. It is best to clean it once every 3 months.Cleaning steps: Turn off the power; use a screwdriver to unscrew the 8 screws on the left and right sides of the shell, and pull the shell upward; use a clean cloth dipped in alcohol to carefully wipe the metal chip and fan.
3. When not in use for a long time, please keep it in a dry place and keep it sealed.4. We come with a replaceable fuse that comes in a plastic fuse holder that can be removed and replaced when needed.

FAILURE TYPE AND TREATMENTMETHOD

1.If the product screws are loose, don't worry, this is caused by the product collision during transportation,you only need to tighten the screws.
2. If the timer has a deviation of 1-2 minutes, this is a normal phenomenon, you only need to turn the knob a little more.
3. If the machine does not work, please contact customer service, please do not disassemble it privately.

FREQUENTLY ASKED QUESTIONS

Q: What are the benefits of using this machine?A: Powerful Odor Elimination. Eliminates virtually ANY odors from cigarette/cigar smoke,pets, cooking, musty and other airborne odors.
Q: What is the difference between an ozone air purifier and air filters?A: Air filters are usually the result of physical processes with air. However, ozone air purifiers produce reactive oxygen species, removing peculiar smells and freshening the air.
Q: Will ozone remove stains and nicotine build up?A: No, ozone will not remove stains, Ozone will deodorize and help to decontaminate the problem but will not remove the actual substance.

Q: It smells like chlorine or bleach is that normal?A: This machine will produce ozone, some may think it is a little like a chlorine smell,Please rest assured that this is normal.

