VEVOR

Upgrade · The Home Creator Way

METAL CHICKEN COOP


MODEL:CRC0303

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODEL: CRC0303

Video installation QR



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Beware of sharp edges during assembly and use to avoid cuts.

This product is intended for household use only, not for commercial or agricultural farming.Do not use or approach this product during thunderstorms or strong winds.

Assembly precautions

1. Assemble only according to these instructions. Improper assembly can create hazards.
2. Wear ANSI-approved safety goggles and heavy-duty work gloves during assembly.
3. Keep the assembly area clean and well-lit.
4. Keep bystanders out of the area during assembly.
5. Do not assemble if tired or when under the influence of alcohol, drugs or medication.
6. The product capabilities apply to properly and completely assembled products only.
7. For additional information regarding the parts listed in the following pages, please refer to the Assembly Diagram of this manual. Unwrap and separate all parts in a clean work area.
8. There are many product components. It is recommended that two people carry out the installation, which can shorten the installation time.
9. The product complies with relevant standards and regulations. Installation of this device must comply with all applicable regulations, and it should only be operated in well-ventilated areas. Please read the user manual before installing and using this equipment.
10. This product is not a toy. Do not allow children to play with or near this item.Inspect before every use; do not use if parts are loose or damaged.

SAVE THIS MANUAL


TOOLS




PARTS LIST


Item no.	Reference Image	Qty.	Item no .	Reference Image	Qty.
1		x2	2S		x10
3		x6	4		x6
5		x2	6		x1
D2		x1	D3		x2
D4		x1	D5		x1
D6		x1	D7V		x1

PARTS LIST

Item no.	Reference Image	Qty.
D8		x2
A		x6
C		x4
E		x1
F	 1*30M	x1
I		x2
K	 M6x35MM	x9
Q		x9
O		X19
Wire		x1


Item no.	Reference Image	Qty.
D1		x1
B		x3
D		x3
P		x1
H		x10
J		x1
L		x23
N		x200
M		x8

EXPLODED VIEW





ASSEMBLY

STEP1								
	1	X2	2S	X4	5	X2	6	X1
								
	P	X1	C	X4	D	X3	E	X1



STEP2		
	3	X6








■ Note

There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


STEP3						
	A	X4	B	X2	2S	X4










STEP4								
	A	X2	B	X1	2S	X2	4	X6










STEP5										
	D2	X1	D4	X1	D5	X1	D7V	X1		
	D1	X1	H	X2	I	X2	K	X3	L	X1





STEP6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4







■ Note


DoDo not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.
Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L to secure H.


STEP7				
				
	D8	X2	K	X2





STEP8				
				
	F	X2	N	X120







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties

■ Note

In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.
The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.

STEP9				
	F		N	X80







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties


■ Note

For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cutted net to the tubes.

STEP10		
	Wire	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

STEP11				
	J	X1	O	X19








The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.

STEP12		
	Q	X9







■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M. Use one M per ground joint, like C, D, E, and P.

Additional Step				
				
	M	X8	L	X16





■ Note

When For this step you will need a power tool to drive L into the tubes. Notice that you will not find predrilled holes on the tubes for L. Do not worry too much about pinpointing the exact location for the tube M. The location contributes little to the overall stability of this product. There are 8 sets of tube braces in the package, two for each corner.

PRODUCT PARAMETER

Model	CRC0303
Colour	Silver+Grey+White
Product Size	3000×3000×2000mm
Material	Q235+PE Cloth

NOTICE

Site planning and selection

Choose areas with high terrain and good drainage to avoid metal parts rusting due to water accumulation during the rainy season; Level the site in advance, remove stones, weeds, and other debris, and if necessary, lay concrete foundations (especially for large metal chicken coops) to enhance stability.

Material inspection and tool preparation

Check whether the metal sheet, frame, screws and other accessories are intact, whether there is deformation, rust or damage, and prepare professional tools such as electric drills, wrenches, tape measures, cutting tools (if necessary to adjust the size of the sheet), etc.

Comprehensive inspection after installation

Check whether the overall structure is stable, whether the boards are loose or deformed, whether the door and window switches are smooth, and whether the ventilation openings are working properly. Regularly clean the feces and debris in the chicken coop to prevent the accumulation of dirt from corroding metal parts. Check the tightening of screws and the integrity of anti rust coatings once a quarter, inspect the binding of nets for looseness, and promptly deal with any problems found to extend the service life of the chicken coop.



VEVOR

Upgrade · The Home Creator Way

HÜHNERSTALL AUS METALL


MODELL: CRC0303

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODELL: CRC0303

Video installation QR



Dies ist die Originalanleitung. Bitte lesen Sie die gesamte Bedienungsanleitung vor der Inbetriebnahme sorgfältig durch. VEVOR behält sich die Auslegung der Bedienungsanleitung vor. Das Aussehen des Produkts kann von dem gelieferten Produkt abweichen. Wir bitten um Verständnis, dass wir Sie nicht erneut über etwaige Technologie- oder Software-Updates informieren werden .

SAFETY INSTRUCTIONS

WARNUNG:

Lesen Sie diese Hinweise vor der Verwendung dieses Produkts. Andernfalls kann es zu schweren Verletzungen kommen.

Achten Sie bei der Montage und Verwendung auf scharfe Kanten, um Schnittverletzungen zu vermeiden.

Dieses Produkt ist ausschließlich für den Hausgebrauch bestimmt, nicht für die gewerbliche oder landwirtschaftliche Nutzung. Verwenden Sie dieses Produkt nicht und nähern Sie sich ihm nicht bei Gewittern oder starkem Wind.

Vorsichtsmaßnahmen bei Versammlungen

11. Bitte montieren Sie das Produkt ausschließlich gemäß dieser Anleitung. Eine unsachgemäße Montage kann Gefahren bergen.
12. Tragen Sie während der Montage eine ANSI-geprüfte Schutzbrille und robuste Arbeitshandschuhe.
13. Halten Sie den Montagebereich sauber und gut beleuchtet.
14. Halten Sie Umstehende während der Versammlung vom Versammlungsort fern.
15. Nicht montieren, wenn Sie müde sind oder unter dem Einfluss von Alkohol, Drogen oder Medikamenten stehen.
16. Die Produkteigenschaften gelten nur für ordnungsgemäß und vollständig montierte Produkte.
17. Weitere Informationen zu den auf den folgenden Seiten aufgeführten Teilen finden Sie in der Montagezeichnung dieses Handbuchs. Packen Sie alle Teile in einem sauberen Arbeitsbereich aus und trennen Sie sie.
18. Das Produkt besteht aus vielen Komponenten. Es wird empfohlen, die Installation von zwei Personen durchführen zu lassen, wodurch sich die Installationszeit verkürzen lässt.
19. Das Produkt entspricht den geltenden Normen und Vorschriften. Die Installation dieses Geräts muss allen anwendbaren Vorschriften entsprechen und es darf nur in gut belüfteten Bereichen betrieben

werden. Bitte lesen Sie die Bedienungsanleitung vor der Installation und Inbetriebnahme des Geräts.

20. Dieses Produkt ist kein Spielzeug. Lassen Sie Kinder nicht damit oder in der Nähe dieses Artikels spielen. Überprüfen Sie das Produkt vor jedem Gebrauch; verwenden Sie es nicht, wenn Teile lose oder beschädigt sind.

BEWAHREN SIE DIESES HANDBUCH AUF


TOOLS




PARTS LIST


Item no.	Reference Image	Qty.	Item no .	Reference Image	Qty.
1		x2	2S		x10
3		x6	4		x6
5		x2	6		x1
D2		x1	D3		x2
D4		x1	D5		x1
D6		x1	D7V		x1

PARTS LIST

Item no.	Reference Image	Qty.
D8		x2
A		x6
C		x4
E		x1
F	 1*30M	x1
I		x2
K	 M6x35MM	x9
Q		x9
O		x19
Wire		x1


Item no.	Reference Image	Qty.
D1		x1
B		x3
D		x3
P		x1
H		x10
J		x1
L		x23
N		x200
M		x8

EXPLODED VIEW



A
4
A
2S
2S
B
I
4
B
2S
3
4
2S
A
M
M
E
3
I
2S
A
4
D1
D2
2S
C
B
H
D3
H
1
3
D5
D
4
3
M
1
M
2S
D4
D6
D8
2S
3
C
H
A
C
D7V
5
D3
3
2S
P
M
6
D
D
2S
5
M
C


ASSEMBLY

SCHRIT T 1								
	1	X2	2S	X4	5	X2	6	X1
								
	P	X1	C	X4	D	X3	E	X1






SCHRITT 2		
	3	X6








■ Note

There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


SCHRITT 3						
	A	X4	B	X2	2S	X4










SCHRITT 4								
	A	X2	B	X1	2S	X2	4	X6









SCHRI TT 5										
	D2	X1	D4	X1	D5	X1	D7V	X1		
	D1	X1	H	X2	ICH	X2	K	X3	L	X1




SCHRITT 6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4







■ Note


DoDo not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.
Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L to secure H.


SCHRITT 7				
	Tag 8	X2	K	X2





SCHRITT 8				
	F	X2	N	X120







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties

■ Note

In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.
The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.

SCHRITT 9				
	F		N	X80







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties


■ Note

For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cutted net to the tubes.

SCHRITT 10		
	Draht	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

SCHRITT 11				
	J	X1	O	X19








The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.


SCHRITT 12		
	Q	X9




■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M. Use one M per ground joint, like C, D, E, and P.

Zusätzlicher Schritt				
	M	X8	L	X16





■ Note

When For this step you will need a power tool to drive L into the tubes. Notice that you will not find predrilled holes on the tubes for L. Do not worry too much about pinpointing the exact location for the tube M. The location contributes little to the overall stability of this product. There are 8 sets of tube braces in the package, two for each corner.

PRODUKTPARAMETER

Modell	CRC0303
Farbe	Silber+Grau+Weiß
Produktgröße	3000 × 3000 × 2000 mm
Material	Q235+PE-Gewebe

BEACHTEN

Standortplanung und -auswahl

Wählen Sie Gebiete mit hohem Gelände und guter Entwässerung, um zu vermeiden, dass Metallteile durch Wasseransammlungen während der Regenzeit rosten; Ebnen Sie das Gelände im Voraus, entfernen Sie Steine, Unkraut und andere Ablagerungen und legen Sie gegebenenfalls Betonfundamente an (insbesondere für große Hühnerställe aus Metall), um die Stabilität zu erhöhen.

Materialprüfung und Werkzeugvorbereitung

Prüfen Sie, ob das Blech, der Rahmen, die Schrauben und das übrige Zubehör unbeschädigt sind, ob Verformungen, Rost oder Beschädigungen vorliegen, und halten Sie professionelle Werkzeuge wie elektrische Bohrmaschinen, Schraubenschlüssel, Maßbänder, Schneidwerkzeuge (falls erforderlich, um die Größe des Blechs anzupassen) usw. bereit.

Umfassende Inspektion nach der Installation

Prüfen Sie, ob die Gesamtkonstruktion stabil ist, ob die Bretter locker oder verformt sind, ob Türen und Fenster leichtgängig sind und ob die Lüftungsöffnungen einwandfrei funktionieren. Reinigen Sie den Hühnerstall regelmäßig von Kot und anderen Verunreinigungen, um Korrosion an den Metallteilen zu verhindern. Kontrollieren Sie vierteljährlich den festen Sitz der Schrauben und den Zustand des

Rostschutzes, prüfen Sie die Befestigung der Netze auf Lockerheit und beheben Sie festgestellte Mängel umgehend, um die Lebensdauer des Hühnerstalls zu verlängern.



VEVOR

Upgrade · The Home Creator Way

POULAILLER EN MÉTAL


MODÈLE : CRC0303

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODÈLE: CRC0303

Video installation QR



Voici le mode d'emploi original. Veuillez lire attentivement toutes les instructions du manuel avant utilisation. VEVOR se réserve le droit d'interpréter ce manuel à sa guise. L'apparence du produit que vous recevrez peut différer. Nous vous prions de nous excuser si nous ne vous informons pas des mises à jour techniques ou logicielles concernant notre produit.

SAFETY INSTRUCTIONS

AVERTISSEMENT:

Veuillez lire attentivement cette notice avant d'utiliser ce produit. Le non-respect de cette consigne peut entraîner des blessures graves.

Attention aux bords tranchants lors du montage et de l'utilisation afin d'éviter les coupures.

Ce produit est destiné à un usage domestique uniquement, et non à un usage commercial ou agricole. Ne pas utiliser ni approcher de ce produit pendant les orages ou en cas de vents violents.

précautions d'assemblage

21. Assembler uniquement selon ces instructions. Un assemblage incorrect peut engendrer des risques.
22. Portez des lunettes de sécurité homologuées ANSI et des gants de travail robustes pendant l'assemblage.
23. Maintenez la zone de rassemblement propre et bien éclairée.
24. Tenir les curieux à l'écart de la zone pendant le rassemblement.
25. Ne pas assembler en cas de fatigue ou sous l'influence de l'alcool, de drogues ou de médicaments.
26. Les capacités du produit s'appliquent uniquement aux produits correctement et entièrement assemblés.
27. Pour plus d'informations concernant les pièces mentionnées dans les pages suivantes, veuillez vous référer au schéma de montage de ce manuel. Déballez et séparez toutes les pièces dans un espace de travail propre.
28. Le produit comporte de nombreux éléments. Il est recommandé d'être deux pour l'installation, ce qui permet de réduire le temps nécessaire.
29. Ce produit est conforme aux normes et réglementations en vigueur. Son installation doit respecter toutes les réglementations applicables et son utilisation doit se faire uniquement dans des endroits bien ventilés. Veuillez lire attentivement le manuel d'utilisation avant d'installer et d'utiliser cet équipement.
30. Ce produit n'est pas un jouet. Ne laissez pas les enfants jouer avec ou

à proximité de cet article. Inspectez-le avant chaque utilisation ; ne l'utilisez pas si des pièces sont détachées ou endommagées.

CONSERVEZ CE MANUEL


TOOLS




PARTS LIST


Item no.	Reference Image	Qty.	Item no .	Reference Image	Qty.
1		x2	2S		x10
3		x6	4		x6
5		x2	6		x1
D2		x1	D3		x2
D4		x1	D5		x1
D6		x1	D7V		x1

PARTS LIST



Item no.	Reference Image	Qty.
D8		x2
A		x6
C		x4
E		x1
F	 1*30M	x1
I		x2
K	 M6x35MM	x9
Q		x9
O		X19
Wire		x1


Item no.	Reference Image	Qty.
D1		x1
B		x3
D		x3
P		x1
H		x10
J		x1
L		x23
N		x200
M		x8

EXPLODED VIEW





ASSEMBLY

ÉTAPE 1								
	1	X2	2S	X4	5	X2	6	X1
								
	P	X1	C	X4	D	X3	E	X1




ÉTAPE 2		
	3	X6








■ Note

There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


ÉTAPE 3						
	UN	X4	B	X2	2S	X4










ÉTAPE 4								
	UN	X2	B	X1	2S	X2	4	X6


4
2S
A
4
4
2S
B
4
4
A
4



A
4



2S
4
4
B
2S

ÉTAP E 5										
	D2	X1	D4	X1	D5	X1	D7V	X1		
	D1	X1	H	X2	je	X2	K	X3	L	X1



ÉTAPE 6										
										
	D3	X2	D6	X1	H	X8	K	X4	L	X4







■ Note

DoDo not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.


Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L to secure H.


ÉTAPE 7				
	D8	X2	K	X2





ÉTAPE 8				
				
	F	X2	N	X120







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties

■ Note

In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.
The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.

ÉTAPE 9				
	F		N	X80







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties


■ Note

For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cutted net to the tubes.

ÉTAPE 10		
	Fil	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

ÉTAPE 11				
	J	X1	O	X19








The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.


ÉTAPE 12		
	Q	X9




■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M. Use one M per ground joint, like C, D, E, and P.

Étape supplémentaire				
	M	X8	L	X16





■ Note

When For this step you will need a power tool to drive L into the tubes. Notice that you will not find predrilled holes on the tubes for L. Do not worry too much about pinpointing the exact location for the tube M. The location contributes little to the overall stability of this product. There are 8 sets of tube braces in the package, two for each corner.

PARAMÈTRE DU PRODUIT

Modèle	CRC0303
Couleur	Argent + Gris + Blanc
Taille du produit	3000×3000×2000mm
Matériel	Tissu Q235+PE

AVIS

Planification et sélection du site

Choisissez des zones en altitude et bien drainées pour éviter la rouille des pièces métalliques due à l'accumulation d'eau pendant la saison des pluies ; nivelez le terrain à l'avance, enlevez les pierres, les mauvaises herbes et autres débris, et si nécessaire, coulez des fondations en béton (surtout pour les grands poulaillers métalliques) pour améliorer la stabilité.

Inspection des matériaux et préparation des outils

Vérifiez si la tôle, le cadre, les vis et autres accessoires sont intacts, s'il y a déformation, rouille ou dommage, et préparez des outils professionnels tels que perceuses électriques, clés, mètres ruban, outils de coupe (si nécessaire pour ajuster la taille de la tôle), etc.

Inspection complète après installation

Vérifiez la stabilité générale de la structure, la solidité des planches, le bon fonctionnement des portes et fenêtres, ainsi que l'aération. Nettoyez régulièrement le poulailler des déjections et des débris pour éviter la corrosion des pièces métalliques. Contrôlez le serrage des vis et l'intégrité du revêtement antirouille tous les trois mois, vérifiez la solidité des filets et réparez rapidement tout problème constaté afin de prolonger la durée de vie du poulailler.



VEVOR

Upgrade · The Home Creator Way

METALEN KIPPENHOK


MODEL: CRC0303

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODEL: CRC0303

Video installation QR



Dit is de originele handleiding. Lees alle instructies in de handleiding zorgvuldig door voordat u het product in gebruik neemt. VEVOR behoudt zich het recht voor om de gebruikershandleiding anders te interpreteren. Het uiterlijk van het product kan afwijken van het product dat u ontvangt. Wij zullen u niet opnieuw informeren over eventuele technologische of software-updates voor ons product.

SAFETY INSTRUCTIONS

WAARSCHUWING:

Lees deze informatie voordat u dit product gebruikt. Het niet nalezen ervan kan ernstig letsel tot gevolg hebben.

Pas op voor scherpe randen tijdens de montage en het gebruik om snijwonden te voorkomen.

Dit product is uitsluitend bedoeld voor huishoudelijk gebruik, niet voor commerciële of agrarische doeleinden. Gebruik dit product niet en kom er niet in de buurt tijdens onweer of harde wind.

Montagevoorzorgsmaatregelen

31. Monteer het product uitsluitend volgens deze instructies. Onjuiste montage kan gevaarlijke situaties veroorzaken.
32. Draag tijdens de montage een ANSI-goedgekeurde veiligheidsbril en stevige werkhandschoenen.
33. Zorg ervoor dat de montageruimte schoon en goed verlicht is.
34. Houd omstanders uit de buurt tijdens de bijeenkomst.
35. Niet monteren als u moe bent of onder invloed bent van alcohol, drugs of medicijnen.
36. De producteigenschappen gelden alleen voor correct en volledig geassembleerde producten.
37. Raadpleeg voor meer informatie over de onderdelen die op de volgende pagina's worden vermeld, het montageschema in deze handleiding. Pak alle onderdelen uit en sorteer ze in een schone werkruimte.
38. Het product bestaat uit vele onderdelen. Het wordt aanbevolen om de installatie met twee personen uit te voeren, dit verkort de installatietijd.
39. Het product voldoet aan de relevante normen en voorschriften. De installatie van dit apparaat moet voldoen aan alle geldende voorschriften en het mag alleen worden gebruikt in goed geventileerde ruimtes. Lees de gebruikershandleiding voordat u dit apparaat installeert en gebruikt.
40. Dit product is geen speelgoed. Laat kinderen niet met dit artikel spelen

en laat ze er niet in de buurt komen. Controleer het product voor elk gebruik; gebruik het niet als onderdelen loszitten of beschadigd zijn.

BEWAAR DEZE HANDLEIDING

TOOLS





PARTS LIST

Item no.	Reference Image	Qty.
1		x2
3		x6
5		x2
D2		x1
D4		x1
D6		x1


Item no .	Reference Image	Qty.
2S		x10
4		x6
6		x1
D3		x2
D5		x1
D7V		x1

PARTS LIST

Item no.	Reference Image	Qty.
D8		x2
A		x6
C		x4
E		x1
F	 1*30M	x1
I		x2
K	 M6x35MM	x9
Q		x9
O		X19
Wire		x1


Item no.	Reference Image	Qty.
D1		x1
B		x3
D		x3
P		x1
H		x10
J		x1
L		x23
N		x200
M		x8

EXPLODED VIEW





ASSEMBLY

STAP 1								
	1	X2	2S	X4	5	X2	6	X1
								
	P	X1	C	X4	D	X3	E	X1





STAP 2		
	3	X6








■ Note

There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


STAP 3						
	A	X4	B	X2	2S	X4










STAP 4								
	A	X2	B	X1	2S	X2	4	X6


4
2S
A
4
4
2S
B
4
4
A
4



A
4



2S
4
4
B
2S

STAP 5										
	D2	X1	D4	X1	D5	X1	D7V	X1		
	D1	X1	H	X2	I	X2	K	X3	L	X1




STAP 6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4







■ Note


DoDo not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.
Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L to secure H.


STAP 7				
	D8	X2	K	X2





STAP 8				
				
	F	X2	N	X120







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties

■ Note

In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.
The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.

STAP 9				
	F		N	X80







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties


■ Note

For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cutted net to the tubes.

STAP 10		
	Draad	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

STAP 11				
				
	J	X1	O	X19








The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.


STAP 12		
	Q	X9




■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M. Use one M per ground joint, like C, D, E, and P.

Extra stap				
	M	X8	L	X16





■ Note

When For this step you will need a power tool to drive L into the tubes. Notice that you will not find predrilled holes on the tubes for L. Do not worry too much about pinpointing the exact location for the tube M. The location contributes little to the overall stability of this product. There are 8 sets of tube braces in the package, two for each corner.

PRODUCTPARAMETER

Model	CRC0303
Kleur	Zilver+Grijs+Wit
Productgrootte	3000×3000×2000 mm
Materiaal	Q235+PE-stof

KENNISGEVING

Locatieplanning en -selectie

Kies een terrein met een goede afwatering om te voorkomen dat metalen onderdelen gaan roesten door waterophoping tijdens het regenseizoen. Egaliseer de locatie van tevoren, verwijder stenen, onkruid en ander puin en leg indien nodig betonnen funderingen aan (vooral voor grote metalen kippenhokken) om de stabiliteit te verbeteren.

Materiaalinspectie en gereedschapsvoorbereiding

Controleer of de metalen plaat, het frame, de schroeven en andere accessoires intact zijn, of er sprake is van vervorming, roest of beschadiging, en zorg voor professioneel gereedschap zoals een boormachine, moersleutels, meetlinten, snijgereedschap (indien nodig om de plaat op maat te maken), enz.

Uitgebreide inspectie na installatie

Controleer of de algehele constructie stabiel is, of de planken loszitten of vervormd zijn, of de deur- en raamschakelaars soepel werken en of de ventilatieopeningen goed functioneren. Verwijder regelmatig uitwerpselen en ander vuil uit het kippenhok om te voorkomen dat vuil zich ophoopt en metalen onderdelen aantast. Controleer elk kwartaal of de schroeven goed vastzitten en of de roestwerende coating intact is. Controleer of de netten goed vastzitten en los eventuele problemen direct op om de levensduur

van het kippenhok te verlengen.



VEVOR

Upgrade · The Home Creator Way

HÖNSHUS I METALL


MODELL: CRC0303

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODELL: CRC0303

Video installation QR



Detta är originalinstruktionerna, vänligen läs alla instruktioner noggrant innan du använder produkten. VEVOR förbehåller sig en tydlig tolkning av vår användarmanual. Produktens utseende ska vara beroende av den produkt du mottagit. Vi ber om ursäkt för att vi inte kommer att informera dig igen om det finns några teknik- eller programuppdateringar för vår produkt.

SAFETY INSTRUCTIONS

VARNING:

Läs detta material innan du använder produkten. Underlåtenhet att göra det kan leda till allvarliga skador.

Se upp för vassa kanter under montering och användning för att undvika skärsår.

Denna produkt är endast avsedd för hushållsbruk, inte för kommersiellt bruk eller jordbruk. Använd eller närma dig inte denna produkt under åskväder eller starka vindar.

Monteringsförsiktighetsåtgärder

41. Montera endast enligt dessa instruktioner. Felaktig montering kan skapa risker.
42. Använd ANSI-godkända skyddsglasögon och kraftiga arbetshandskar under monteringen.
43. Håll samlingsområdet rent och väl upplyst.
44. Håll åskådare borta från området under monteringen.
45. Montera inte om du är trött eller påverkad av alkohol, droger eller mediciner.
46. Produktegenskaperna gäller endast korrekt och fullständigt monterade produkter.
47. För ytterligare information om delarna som listas på följande sidor, se monteringsschemat i denna manual. Packa upp och separera alla delar på en ren arbetsyta.
48. Produkten har många komponenter. Det rekommenderas att två personer utför installationen, vilket kan förkorta installationstiden.
49. Produkten uppfyller relevanta standarder och föreskrifter. Installationen av denna enhet måste uppfylla alla tillämpliga föreskrifter och den bör endast användas i välventilerade utrymmen. Läs användarmanualen innan du installerar och använder denna utrustning.
50. Denna produkt är inte en leksak. Låt inte barn leka med eller i närheten av denna artikel. Kontrollera före varje användning; använd

inte om delar är lösa eller skadade.

SPARA DENNA HANDBOK


TOOLS




PARTS LIST


Item no.	Reference Image	Qty.	Item no .	Reference Image	Qty.
1		x2	2S		x10
3		x6	4		x6
5		x2	6		x1
D2		x1	D3		x2
D4		x1	D5		x1
D6		x1	D7V		x1

PARTS LIST

Item no.	Reference Image	Qty.
D8		x2
A		x6
C		x4
E		x1
F	 1*30M	x1
I		x2
K	 M6x35MM	x9
Q		x9
O		x19
Wire		x1


Item no.	Reference Image	Qty.
D1		x1
B		x3
D		x3
P		x1
H		x10
J		x1
L		x23
N		x200
M		x8

EXPLODED VIEW





ASSEMBLY

STEG1								
	1	X2	2S	X4	5	X2	6	X1
	P	X1	C	X4	D	X3	E	X1



STEG2		
	3	X6








■ Note

There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


STEG3						
	En	X4	B	X2	2S	X4










STEG4								
	En	X2	B	X1	2S	X2	4	X6


4
2S
A
4
4
2S
B
4
4
A
4



A
4



2S
4
4
B
2S

STEG 5										
	D2	X1	D4	X1	D5	X1	D7V	X1		
	D1	X1	H	X2	Jag	X2	K	X3	L	X1



STEG 6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4







■ Note

DoDo not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.


Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L to secure H.


STEG7				
	D8	X2	K	X2





STEG8				
				
	F	X2	N	X120







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties

■ Note

In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.
The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.

STEG9				
	F		N	X80







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties


■ Note

For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cutted net to the tubes.

STEG10		
	Tråd	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

STEG11				
	J	X1	O	X19








The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.


STEG12		
	Q	X9




■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M. Use one M per ground joint, like C, D, E, and P.

Ytterligare steg				
	M	X8	L	X16





■ Note

When For this step you will need a power tool to drive L into the tubes. Notice that you will not find predrilled holes on the tubes for L. Do not worry too much about pinpointing the exact location for the tube M. The location contributes little to the overall stability of this product. There are 8 sets of tube braces in the package, two for each corner.

PRODUKTPARAMETER

Modell	CRC0303
Färg	Silver+Grå+Vit
Produktstorlek	3000×3000×2000 mm
Material	Q235+PE-tyg

VARSEL

Platsplanering och val

Välj områden med hög terräng och bra dränering för att undvika att metalldelar rostar på grund av vattenansamling under regnperioden; Jämna ut platsen i förväg, ta bort stenar, ogräs och annat skräp, och lägg vid behov betongfundament (särskilt för stora hönshus i metall) för att förbättra stabiliteten.

Materialinspektion och verktygsförberedelse

Kontrollera om metallplåten, ramen, skruvarna och andra tillbehör är intakta, om det finns deformation, rost eller skador, och förbered professionella verktyg som elektriska borrar, skiftnycklar, måttband, skärverktyg (vid behov för att justera plåtens storlek) etc.

Omfattande inspektion efter installation

Kontrollera om den övergripande konstruktionen är stabil, om brädorna är lösa eller deformerade, om dörr- och fönsterbrytarna är släta och om ventilationsöppningarna fungerar korrekt. Rengör regelbundet avföring och skräp i hönshuset för att förhindra att smuts från korroderande metalldelar ansamlas. Kontrollera åtdragningen av skruvar och att rostskyddsbeläggningarna är intakta en gång i kvartalet, inspektera nätens bindning för glapp och åtgärda omedelbart eventuella problem för att förlänga hönshusets livslängd.



VEVOR

Upgrade · The Home Creator Way

GALLINERO DE METAL


MODELO: CRC0303

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODELO: CRC0303

Video installation QR



Estas son las instrucciones originales. Lea atentamente todo el manual antes de usar el producto. VEVOR se reserva el derecho de interpretar el manual de usuario. El aspecto del producto puede variar con respecto al que reciba. Le pedimos disculpas si no le informamos nuevamente sobre actualizaciones de tecnología o software.

SAFETY INSTRUCTIONS

ADVERTENCIA:

Lea este material antes de usar este producto. No hacerlo puede provocar lesiones graves.

Tenga cuidado con los bordes afilados durante el montaje y el uso para evitar cortes.

Este producto está destinado únicamente para uso doméstico, no para uso comercial ni agrícola. No utilice ni se acerque a este producto durante tormentas eléctricas o vientos fuertes.

Precauciones de montaje

51. Ensámblelo únicamente siguiendo estas instrucciones. Un montaje incorrecto puede generar riesgos.
52. Durante el montaje, utilice gafas de seguridad homologadas por ANSI y guantes de trabajo resistentes.
53. Mantenga la zona de montaje limpia y bien iluminada.
54. Mantenga a los curiosos alejados de la zona durante la concentración.
55. No participe en la reunión si está cansado o bajo los efectos del alcohol, las drogas o los medicamentos.
56. Las funcionalidades del producto se aplican únicamente a productos ensamblados de forma correcta y completa.
57. Para obtener información adicional sobre las piezas que se enumeran en las páginas siguientes, consulte el diagrama de montaje de este manual. Desempaque y separe todas las piezas en un área de trabajo limpia.
58. El producto consta de muchos componentes. Se recomienda que la instalación la realicen dos personas, lo que puede acortar el tiempo de instalación.
59. El producto cumple con las normas y regulaciones pertinentes. La instalación de este dispositivo debe cumplir con todas las normativas aplicables y solo debe utilizarse en áreas bien ventiladas. Lea el manual de usuario antes de instalar y utilizar este equipo.
60. Este producto no es un juguete. No permita que los niños jueguen con él ni cerca de él. Inspecciónelo antes de cada uso; no lo utilice si

alguna pieza está suelta o dañada.

GUARDE ESTE MANUAL

TOOLS





PARTS LIST

Item no.	Reference Image	Qty.
1		x2
3		x6
5		x2
D2		x1
D4		x1
D6		x1


Item no .	Reference Image	Qty.
2S		x10
4		x6
6		x1
D3		x2
D5		x1
D7V		x1

PARTS LIST

Item no.	Reference Image	Qty.
D8		x2
A		x6
C		x4
E		x1
F	 1*30M	x1
I		x2
K	 M6x35MM	x9
Q		x9
O		x19
Wire		x1


Item no.	Reference Image	Qty.
D1		x1
B		x3
D		x3
P		x1
H		x10
J		x1
L		x23
N		x200
M		x8

EXPLODED VIEW





ASSEMBLY

PASO 1								
	1	X2	2S	X4	5	X2	6	X1
	PAG	X1	do	X4	D	X3	mi	X1



PASO 2		
	3	X6







■ Note


There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


PASO 3						
	A	X4	B	X2	2S	X4







PASO 4								
	A	X2	B	X1	2S	X2	4	X6


4
2S
A
4
4
2S
B
4
4
A
4



A
4



2S
4
4
B
2S

PASO 5										
	D2	X1	D4	X1	D5	X1	D7V	X1		
	D1	X1	H	X2	I	X2	K	X3	L	X1



PASO 6										
										
	D3	X2	D6	X1	H	X8	K	X4	L	X4







■ Note

DoDo not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.


Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L to secure H.


PASO 7				
				
	D8	X2	K	X2





PASO 8				
	F	X2	norte	X120







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties

■ Note

In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.
The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.

PASO 9				
				
	F		norte	X80







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties


■ Note

For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it’s easier to measure and cut the net, and then fasten the cutted net to the tubes.

PASO 10		
	Cable	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

PASO 11				
	J	X1	O	X19








The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.


PASO 12		
	Q	X9




■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M. Use one M per ground joint, like C, D, E, and P.

Paso adicional				
				
	METR 0	X8	L	X16





■ Note

When For this step you will need a power tool to drive L into the tubes. Notice that you will not find predrilled holes on the tubes for L. Do not worry too much about pinpointing the exact location for the tube M. The location contributes little to the overall stability of this product. There are 8 sets of tube braces in the package, two for each corner.

PARÁMETRO DEL PRODUCTO

Modelo	CRC0303
Color	Plata + Gris + Blanco
Tamaño del producto	3000×3000×2000 mm
Material	Tela Q235+PE

AVISO

Planificación y selección del sitio

Elija zonas con terreno elevado y buen drenaje para evitar que las piezas metálicas se oxiden debido a la acumulación de agua durante la temporada de lluvias; nivele el terreno con antelación, retire piedras, maleza y otros escombros y, si es necesario, coloque cimientos de hormigón (especialmente para grandes gallineros metálicos) para mejorar la estabilidad.

Inspección de materiales y preparación de herramientas

Compruebe si la chapa metálica, el marco, los tornillos y demás accesorios están intactos, si presentan deformaciones, óxido o daños, y prepare herramientas profesionales como taladros eléctricos, llaves inglesas, cintas métricas, herramientas de corte (si fuera necesario para ajustar el tamaño de la chapa), etc.

Inspección exhaustiva después de la instalación

Verifique la estabilidad general de la estructura, la estabilidad de las tablas, el funcionamiento de las puertas y ventanas, y el correcto funcionamiento de las rejillas de ventilación. Limpie periódicamente el gallinero para eliminar los excrementos y residuos y evitar la acumulación de suciedad que corroe las piezas metálicas. Cada trimestre, compruebe el apriete de los tornillos y el estado de los recubrimientos antioxidantes, revise la

sujeción de las redes para detectar cualquier holgura y solucione cualquier problema detectado de inmediato para prolongar la vida útil del gallinero.



VEVOR

Upgrade · The Home Creator Way

POLLAIO IN METALLO


MODELLO: CRC0303

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODELLO: CRC0303

Video installation QR



Queste sono le istruzioni originali, si prega di leggere attentamente tutte le istruzioni del manuale prima dell'uso. VEVOR si riserva il diritto di interpretare a proprio piacimento il presente manuale d'uso. L'aspetto del prodotto potrebbe differire leggermente da quello del prodotto ricevuto. Ci scusiamo se non vi informeremo tempestivamente di eventuali aggiornamenti tecnologici o software del nostro prodotto.

SAFETY INSTRUCTIONS

AVVERTIMENTO:

Leggere attentamente queste informazioni prima di utilizzare il prodotto. La mancata osservanza di queste istruzioni può causare gravi lesioni.

Durante il montaggio e l'utilizzo, prestare attenzione ai bordi taglienti per evitare di tagliarsi.

Questo prodotto è destinato esclusivamente all'uso domestico e non all'uso commerciale o agricolo. Non utilizzare o avvicinarsi a questo prodotto durante temporali o forti venti.

Precauzioni per l'assemblea

61. Assemblare il prodotto seguendo esclusivamente queste istruzioni. Un assemblaggio improprio può comportare dei pericoli.
62. Durante l'assemblaggio, indossare occhiali di sicurezza omologati ANSI e guanti da lavoro resistenti.
63. Mantieni l'area di ritrovo pulita e ben illuminata.
64. Durante l'assemblea, tenere lontani gli astanti.
65. Non assemblare se si è stanchi o sotto l'effetto di alcol, droghe o farmaci.
66. Le funzionalità del prodotto si applicano solo ai prodotti assemblati correttamente e completamente.
67. Per ulteriori informazioni sui componenti elencati nelle pagine seguenti, fare riferimento allo schema di montaggio presente in questo manuale. Disimballare e separare tutti i componenti in un'area di lavoro pulita.
68. Il prodotto è composto da numerosi componenti. Si consiglia di effettuare l'installazione in due persone, in modo da ridurre i tempi di montaggio.
69. Il prodotto è conforme agli standard e alle normative vigenti. L'installazione di questo dispositivo deve essere conforme a tutte le normative applicabili e il suo utilizzo deve avvenire esclusivamente in aree ben ventilate. Si prega di leggere il manuale d'uso prima di installare e utilizzare l'apparecchiatura.

70. Questo prodotto non è un giocattolo. Non permettere ai bambini di giocare con questo articolo o di avvicinarsi ad esso. Ispezionare prima di ogni utilizzo; non utilizzare se le parti sono allentate o danneggiate.

CONSERVARE QUESTO MANUALE

TOOLS








PARTS LIST


Item no.	Reference Image	Qty.	Item no .	Reference Image	Qty.
1		x2	2S		x10
3		x6	4		x6
5		x2	6		x1
D2		x1	D3		x2
D4		x1	D5		x1
D6		x1	D7V		x1

PARTS LIST





Item no.	Reference Image	Qty.
D8		x2
A		x6
C		x4
E		x1
F	 1*30M	x1
I		x2
K	 M6x35MM	x9
Q		x9
O		X19
Wire		x1


Item no.	Reference Image	Qty.
D1		x1
B		x3
D		x3
P		x1
H		x10
J		x1
L		x23
N		x200
M		x8

EXPLODED VIEW





ASSEMBLY

FASE 1								
	1	X2	2S	X4	5	X2	6	X1
								
	P	X1	C	X4	D	X3	E	X1





FASE 2		
	3	X6







■ Note


There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


PASS3						
	UN	X4	B	X2	2S	X4







FASE 4								
	UN	X2	B	X1	2S	X2	4	X6


4
2S
A
4
4
2S
B
4
4
A
4



A
4



2S
4
4
B
2S

FASE 5										
	D2	X1	D4	X1	D5	X1	D7V	X1		
	D1	X1	H	X2	IO	X2	K	X3	L	X1



GRAD O6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4








■ Note

DoDo not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.


Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L to secure H.


STEP7				
				
	D8	X2	K	X2





STEP8				
	F	X2	N	X120







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties

■ Note

In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.
The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.

STEP9				
	F		N	X80







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties


■ Note

For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cutted net to the tubes.

PASSO 10		
	Filo	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

STEP11				
	J	X1	O	X19








The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.


FASE 12		
	Q	X9




■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M. Use one M per ground joint, like C, D, E, and P.

Passaggio aggiuntivo				
	M	X8	L	X16





■ Note

When For this step you will need a power tool to drive L into the tubes. Notice that you will not find predrilled holes on the tubes for L. Do not worry too much about pinpointing the exact location for the tube M. The location contributes little to the overall stability of this product. There are 8 sets of tube braces in the package, two for each corner.

PARAMETRO DEL PRODOTTO

Modello	**CRC0303**
Colore	Argento+Grigio+Bianco
Dimensioni del prodotto	3000×3000×2000 mm
Materiale	Tessuto Q235+PE

AVVISO

Pianificazione e selezione del sito

Scegliete aree con terreno elevato e buon drenaggio per evitare che le parti metalliche arrugginiscano a causa dell'accumulo di acqua durante la stagione delle piogge; livellate il sito in anticipo, rimuovete pietre, erbacce e altri detriti e, se necessario, realizzate fondamenta in cemento (soprattutto per i grandi pollai in metallo) per aumentarne la stabilità.

Ispezione dei materiali e preparazione degli utensili

Verificate che la lamiera, il telaio, le viti e gli altri accessori siano integri, privi di deformazioni, ruggine o danni, e preparate gli strumenti professionali necessari, come trapani elettrici, chiavi inglesi, metri a nastro, utensili da taglio (se necessario per adattare le dimensioni della lamiera), ecc.

Ispezione completa dopo l'installazione

Verificate che la struttura complessiva sia stabile, che le assi non siano allentate o deformate, che gli interruttori di porte e finestre si aprano e chiudano senza intoppi e che le aperture di ventilazione funzionino correttamente. Pulite regolarmente il pollaio da escrementi e detriti per evitare che l'accumulo di sporco corroda le parti metalliche. Controllate trimestralmente il serraggio delle viti e l'integrità dei rivestimenti antiruggine,

verificate che le reti non siano allentate e intervenite tempestivamente per risolvere eventuali problemi riscontrati, al fine di prolungare la durata del pollaio.



VEVOR

Upgrade · The Home Creator Way

METALOWY KURNIK


MODEL: CRC0303

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODEL: CRC0303

Video installation QR



To jest oryginalna instrukcja obsługi. Przed użyciem prosimy o dokładne zapoznanie się z treścią instrukcji. Firma VEVOR zastrzega sobie prawo do jednoznacznej interpretacji niniejszej instrukcji obsługi. Wygląd produktu zależy od stanu, w jakim go otrzymali Państwo. Prosimy o wyrozumiałość, ale nie będziemy Państwa ponownie informować o aktualizacjach technologicznych lub oprogramowania naszego produktu.

SAFETY INSTRUCTIONS

OSTRZEŻENIE:

Przeczytaj ten materiał przed użyciem produktu. Nieprzestrzeganie tego zalecenia może spowodować poważne obrażenia.

Podczas montażu i użytkowania należy zachować ostrożność, aby uniknąć skaleczeń.

Produkt przeznaczony jest wyłącznie do użytku domowego, nie do użytku komercyjnego ani rolniczego. Nie należy używać ani zbliżać się do produktu podczas burzy lub silnego wiatru.

Środki ostrożności podczas montażu

71. Montaż należy wykonywać wyłącznie zgodnie z niniejszą instrukcją. Nieprawidłowy montaż może stwarzać zagrożenie.
72. Podczas montażu należy nosić okulary ochronne zatwierdzone przez ANSI oraz wytrzymałe rękawice robocze.
73. Utrzymuj miejsce zgromadzenia w czystości i zapewnij dobre oświetlenie.
74. Nie dopuszczać osób postronnych na teren montażu w trakcie jego trwania.
75. Nie przychodź na zgromadzenie, jeśli jesteś zmęczony lub pod wpływem alkoholu, narkotyków lub leków.
76. Możliwości produktu odnoszą się wyłącznie do produktów prawidłowo i całkowicie zmontowanych.
77. Aby uzyskać dodatkowe informacje dotyczące części wymienionych na kolejnych stronach, zapoznaj się ze schematem montażu w niniejszej instrukcji. Rozpakuj i oddziel wszystkie części w czystym miejscu pracy.
78. Produkt składa się z wielu komponentów. Zaleca się, aby montaż wykonały dwie osoby, co może skrócić czas instalacji.
79. Produkt jest zgodny z odpowiednimi normami i przepisami. Instalacja tego urządzenia musi być zgodna ze wszystkimi obowiązującymi przepisami i powinno być ono użytkowane wyłącznie w dobrze wentylowanych pomieszczeniach. Przed instalacją i użytkowaniem

urządzenia należy zapoznać się z instrukcją obsługi.

80. Ten produkt nie jest zabawką. Nie pozwalaj dzieciom bawić się nim ani przebywać w jego pobliżu. Przed każdym użyciem sprawdź produkt; nie używaj, jeśli części są luźne lub uszkodzone.

ZAPISZ TĘ INSTRUKCJĘ

TOOLS





PARTS LIST

Item no.	Reference Image	Qty.
1		x2
3		x6
5		x2
D2		x1
D4		x1
D6		x1


Item no .	Reference Image	Qty.
2S		x10
4		x6
6		x1
D3		x2
D5		x1
D7V		x1

PARTS LIST

Item no.	Reference Image	Qty.
D8		x2
A		x6
C		x4
E		x1
F	 1*30M	x1
I		x2
K	 M6x35MM	x9
Q		x9
O		x19
Wire		x1


Item no.	Reference Image	Qty.
D1		x1
B		x3
D		x3
P		x1
H		x10
J		x1
L		x23
N		x200
M		x8

EXPLODED VIEW





ASSEMBLY

KROK 1								
	1	X2	2S	X4	5	X2	6	X1
	P	X1	C	X4	D	X3	mi	X1




KROK 2		
	3	X6








■ Note

There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is


KROK 3						
	A	X4	B	X2	2S	X4










KROK 4								
	A	X2	B	X1	2S	X2	4	X6


4
2S
A
4
4
2S
B
4
4
A
4



A
4



2S
4
4
B
2S

KROK 5										
	D2	X1	D4	X1	D5	X1	D7V	X1		
	D1	X1	H	X2	I	X2	K	X3	L	X1



KROK 6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4








■ Note

DoDo not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.


Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L to secure H.


KROK 7				
	D8	X2	K	X2





KROK 8				
				
	F	X2	N	X120







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties

■ Note

In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.
The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.

KROK 9				
	F		N	X80







Use zip ties to tie the wire mesh and steel pipes together, with an interval of 20cm between each tie. Tighten the wire mesh by lowering the zip ties


■ Note

For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cutted net to the tubes.

KROK 10		
	Drut	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

KROK 11				
	J	X1	O	X19








The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.


KROK 12		
	Q	X9




■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M. Use one M per ground joint, like C, D, E, and P.

Dodatkowy krok				
	M	X8	L	X16





■ Note

When For this step you will need a power tool to drive L into the tubes. Notice that you will not find predrilled holes on the tubes for L. Do not worry too much about pinpointing the exact location for the tube M. The location contributes little to the overall stability of this product. There are 8 sets of tube braces in the package, two for each corner.

PARAMETR PRODUKTU

Model	**CRC0303**
Kolor	Srebrny+Szary+Biały
Rozmiar produktu	3000×3000×2000 mm
Tworzywo	Tkanina Q235+PE

OGŁOSZENIE

Planowanie i wybór lokalizacji

Wybierz teren z wysokim terenem i dobrym drenażem, aby uniknąć rdzewienia elementów metalowych z powodu gromadzenia się wody w porze deszczowej. Wypoziomuj teren wcześniej, usuń kamienie, chwasty i inne zanieczyszczenia, a w razie potrzeby połóż fundamenty betonowe (szczególnie w przypadku dużych metalowych kurników), aby zwiększyć stabilność.

Kontrola materiałów i przygotowanie narzędzi

Sprawdź, czy blacha, rama, śruby i inne akcesoria są nienaruszone, czy nie występują odkształcenia, rdza lub uszkodzenia i przygotuj profesjonalne narzędzia, takie jak wiertarki elektryczne, klucze, miary taśmowe, narzędzia tnące (w razie potrzeby do dopasowania rozmiaru blachy) itp.

Kompleksowa inspekcja po instalacji

Sprawdź, czy cała konstrukcja jest stabilna, czy deski nie są luźne lub odkształcone, czy przełączniki drzwi i okien są gładkie oraz czy otwory wentylacyjne działają prawidłowo. Regularnie usuwaj odchody i zanieczyszczenia z kurnika, aby zapobiec gromadzeniu się brudu z korodujących elementów metalowych. Raz na kwartał sprawdzaj

dokręcenie śrub i integralność powłok antykorozyjnych, sprawdzaj luzy wiązań siatek i niezwłocznie rozwiązuj wszelkie wykryte problemy, aby wydłużyć żywotność kurnika.

