VEVOR

Upgrade · The Home Creator Way


METAL CHICKEN COOP

MODEL:JD322

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODEL:JD322



This is the original instruction, please read all manual instructions carefully before operating. VEVOR reserves a clear interpretation of our user manual. The appearance of the product shall be subject to the product you received. Please forgive us that we won't inform you again if there are any technology or software updates on our product.

SAFETY INSTRUCTIONS

WARNING:

Read this material before using this product. Failure to do so can result in serious injury.

Beware of sharp edges during assembly and use to avoid cuts.

This product is intended for household use only, not for commercial or agricultural farming.Do not use or approach this product during thunderstorms or strong winds.

Assembly precautions

1. Assemble only according to these instructions. Improper assembly can create hazards.
2. Wear ANSI-approved safety goggles and heavy-duty work gloves during assembly.
3. Keep the assembly area clean and well-lit.
4. Keep bystanders out of the area during assembly.
5. Do not assemble if tired or when under the influence of alcohol, drugs or medication.
6. The product capabilities apply to properly and completely assembled products only.
7. For additional information regarding the parts listed in the following pages, please refer to the Assembly Diagram of this manual. Unwrap and separate all parts in a clean work area.
8. There are many product components. It is recommended that two people carry out the installation, which can shorten the installation time.
9. The product complies with relevant standards and regulations. Installation of this device must comply with all applicable regulations, and it should only be operated in well-ventilated areas. Please read the user manual before installing and using this equipment.
10. This product is not a toy. Do not allow children to play with or near this item.Inspect before every use; do not use if parts are loose or damaged.

SAVE THIS MANUAL

TOOLS












PARTS LIST


Item no .	Reference Image	Qty .		Item no .	Reference Image	Qty .
1		2		D1		1
2		5		D2		1
3		4		D3		2
4		4		D4		1
5		2		D5		1
6		1		D6		1
A		6		D7		1
C		4		D8		1
D		1		E		1


PARTS LIST

Item no .	Reference Image	Qty .	Item no .	Reference Image	Qty .
F	 24m	1	M		7
H		10	N		100
I		2	O		19
J		1	P		1
K		8	Wire		1
L		5			

ASSEMBLY STEP


STEP1								
	1	X2	2	X2	5	X2	6	X1
								
	C	X4	D	X1	E	X1	P	X1






■ **Note:**For this product, tubes and joints are connected using button clips. Button clips are already inserted inside tubes. When connecting, press the button clip and insert one tube into the joint. Forcing the tubes in might also work but you are risking damaging the Clip.Pay attention to the orientation of Part P.

STEP2		
	3	X4







■ Note:



There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


STEP3				
	A	X4	2	X2




STEP4						
	A	X2	2	X1	4	X4




STEP5										
										
	D1	X1	D2	X1	D4	X1	D7	X1	D5	X1
										
	H	X2	I	X2	K	X3	L	X1		




■ **Note:**For screw L, you will need a power tool to drive it into tube D7.




STEP6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4




■ **Note:**Do not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L tosecure H.

STEP7				
	D8	X1	K	X1




STEP8	
	F X1



■ Note:


In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.


STEP9		
	F	



■ **Note:**For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cut net to the tubes.Notice that the rectangular shape in the front has a greater length than the width of net roll,meaning if you roll the net vertically, the roll will not be wide enough to cover the rectangular area. In summary, please follow the arrows to roll and cut the net.

STEP10		
	Wire	X1






Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

STEP11				
				
	J	X1	O	X19









The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.

Optional Step	
	M X7





■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M.Use one M per ground joint, like C, D, E, and P.

PRODUCT PARAMETER

Model	JD322
Main material	Q235
Main Colour	Galvanized color and gray
Product Size	3*2*2m



VEVOR

Upgrade · The Home Creator Way


GALLINERO DE METAL

MODELO: JD322

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODELO: JD322



Estas son las instrucciones originales. Lea atentamente todo el manual antes de usar el producto. VEVOR se reserva el derecho de interpretar el manual de usuario. El aspecto del producto puede variar con respecto al que reciba. Le pedimos disculpas si no le informamos nuevamente sobre actualizaciones de tecnología o software.

SAFETY INSTRUCTIONS

ADVERTENCIA:

Lea este material antes de usar este producto. No hacerlo puede provocar lesiones graves.

Tenga cuidado con los bordes afilados durante el montaje y el uso para evitar cortes.

Este producto está destinado únicamente para uso doméstico, no para uso comercial ni agrícola. No utilice ni se acerque a este producto durante tormentas eléctricas o vientos fuertes.

Precauciones de montaje

11. Ensámblelo únicamente siguiendo estas instrucciones. Un montaje incorrecto puede generar riesgos.
12. Durante el montaje, utilice gafas de seguridad homologadas por ANSI y guantes de trabajo resistentes.
13. Mantenga la zona de montaje limpia y bien iluminada.
14. Mantenga a los curiosos alejados de la zona durante la concentración.
15. No participe en la reunión si está cansado o bajo los efectos del alcohol, las drogas o los medicamentos.
16. Las funcionalidades del producto se aplican únicamente a productos ensamblados de forma correcta y completa.
17. Para obtener información adicional sobre las piezas que se enumeran en las páginas siguientes, consulte el diagrama de montaje de este manual. Desempaque y separe todas las piezas en un área de trabajo limpia.
18. El producto consta de muchos componentes. Se recomienda que la instalación la realicen dos personas, lo que puede acortar el tiempo de instalación.
19. El producto cumple con las normas y regulaciones pertinentes. La instalación de este dispositivo debe cumplir con todas las normativas aplicables y solo debe utilizarse en áreas bien ventiladas. Lea el manual de usuario antes de instalar y utilizar este equipo.
20. Este producto no es un juguete. No permita que los niños jueguen con él ni cerca de él. Inspecciónelo antes de cada uso; no lo utilice si

alguna pieza está suelta o dañada.

GUARDE ESTE MANUAL

TOOLS






PARTS LIST




Artículo n.º	Imagen de referencia	Cantidad.		Artículo n.º	Imagen de referencia	Cantidad.
1		2		D1		1
2		5		D2		1
3		4		D3		2
4		4		D4		1
5		2		D5		1
6		1		D6		1
A		6		D7		1
do		4		D8		1


D		1		mi		1


PARTS LIST

Artículo n.º	Imagen de referencia	Cantidad.	Artículo n.º	Imagen de referencia	Cantidad.
F	 24 metros	1	METRO		7
H		10	norte		100
I		2	O		19
J		1	PAG		1
K		8	Cable		1
L		5			

ASSEMBLY STEP


PASO 1								
	1	X2	2	X2	5	X2	6	X1
								
	do	X4	D	X1	mi	X1	PAG	X1






■ **Note:**For this product, tubes and joints are connected using button clips. Button clips are already inserted inside tubes. When connecting, press the button clip and insert one tube into the joint. Forcing the tubes in might also work but you are risking damaging the Clip.Pay attention to the orientation of Part P.

PASO 2		
	3	X4







■ Note:





There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


PASO 3				
	A	X4	2	X2




PASO 4						
	A	X2	2	X1	4	X4




PASO 5										
										
	D1	X1	D2	X1	D4	X1	D7	X1	D5	X1
										
	H	X2	I	X2	K	X3	L	X1		



■ **Note:**For screw L, you will need a power tool to drive it into tube D7.




PASO 6										
										
	D3	X2	D6	X1	H	X8	K	X4	L	X4




■ **Note:**Do not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L tosecure H.

PASO 7				
	D8	X1	K	X1




PASO 8		
	F	X1



■ Note:


In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.


PASO 9	
	F




■ **Note:**For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cut net to the tubes.Notice that the rectangular shape in the front has a greater length than the width of net roll,meaning if you roll the net vertically, the roll will not be wide enough to cover the rectangular area. In summary, please follow the arrows to roll and cut the net.

PASO 10		
	Cable	X1








Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

PASO 11				
				
	J	X1	O	X19









The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.

Paso opcional		
	METRO	X7





Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M.Use one M per ground joint, like C, D, E, and P.

PRODUCT PARAMETER

Modelo	JD322
Material principal	Q235
Color principal	Color galvanizado y gris
Tamaño del producto	3 * 2 * 2 metros



VEVOR

Upgrade · The Home Creator Way


HÖNSHUS I METALL

MODELL: JD322

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODELL: JD322



Detta är originalinstruktionerna, vänligen läs alla instruktioner noggrant innan du använder produkten. VEVOR förbehåller sig en tydlig tolkning av vår användarmanual. Produktens utseende ska vara beroende av den produkt du mottagit. Vi ber om ursäkt för att vi inte kommer att informera dig igen om det finns några teknik- eller programuppdateringar för vår produkt.

SAFETY INSTRUCTIONS

VARNING:

Läs detta material innan du använder produkten. Underlåtenhet att göra det kan leda till allvarliga skador.

Se upp för vassa kanter under montering och användning för att undvika skärsår.

Denna produkt är endast avsedd för hushållsbruk, inte för kommersiellt bruk eller jordbruk. Använd eller närma dig inte denna produkt under åskväder eller starka vindar.

Monteringsförsiktighetsåtgärder

21. Montera endast enligt dessa instruktioner. Felaktig montering kan skapa risker.
22. Använd ANSI-godkända skyddsglasögon och kraftiga arbetshandskar under monteringen.
23. Håll samlingsområdet rent och väl upplyst.
24. Håll åskådare borta från området under monteringen.
25. Montera inte om du är trött eller påverkad av alkohol, droger eller mediciner.
26. Produktegenskaperna gäller endast korrekt och fullständigt monterade produkter.
27. För ytterligare information om delarna som listas på följande sidor, se monteringsschemat i denna manual. Packa upp och separera alla delar på en ren arbetsyta.
28. Produkten har många komponenter. Det rekommenderas att två personer utför installationen, vilket kan förkorta installationstiden.
29. Produkten uppfyller relevanta standarder och föreskrifter. Installationen av denna enhet måste uppfylla alla tillämpliga föreskrifter och den bör endast användas i välventilerade utrymmen. Läs användarmanualen innan du installerar och använder denna utrustning.
30. Denna produkt är inte en leksak. Låt inte barn leka med eller i närheten av denna artikel. Kontrollera före varje användning; använd inte om delar är lösa eller skadade.

SPARA DENNA HANDBOK

TOOLS






PARTS LIST







Artikelnr.	Referensbild	Antal		Artikelnr.	Referensbild	Antal
1		2		D1		1
2		5		D2		1
3		4		D3		2
4		4		D4		1
5		2		D5		1
6		1		D6		1
En		6		D7		1
C		4		D8		1


D		1		E		1


PARTS LIST

Artikeln r.	Referensbild	Antal		Artikeln r.	Referensbild	Antal
F	 24m	1		M		7
H		10		N		100
Jag		2		O		19
J		1		P		1
K		8		Tråd		1
L		5				

ASSEMBLY STEP


STEG1								
	1	X2	2	X2	5	X2	6	X1
								
	C	X4	D	X1	E	X1	P	X1






■ **Note:**For this product, tubes and joints are connected using button clips. Button clips are already inserted inside tubes. When connecting, press the button clip and insert one tube into the joint. Forcing the tubes in might also work but you are risking damaging the Clip.Pay attention to the orientation of Part P.

STEG2		
	3	X4







■ Note:






There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


STEG3				
	En	X4	2	X2




STEG4						
	En	X2	2	X1	4	X4




STEG5										
	D1	X1	D2	X1	D4	X1	D7	X1	D5	X1
										
	H	X2	Jag	X2	K	X3	L	X1		



■ **Note:**For screw L, you will need a power tool to drive it into tube D7.





STEG6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4




■ **Note:**Do not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L tosecure H.

STEG7				
				
	D8	X1	K	X1






STEG8	
	F X1



■ Note:


In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.


STEG9	
	F




■ **Note:**For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cut net to the tubes.Notice that the rectangular shape in the front has a greater length than the width of net roll,meaning if you roll the net vertically, the roll will not be wide enough to cover the rectangular area. In summary, please follow the arrows to roll and cut the net.

STEG10		
	Tråd	X1








Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

STEG11				
	J	X1	O	X19









The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.

Valfritt steg		
	M	X7





Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M.Use one M per ground joint, like C, D, E, and P.

PRODUCT PARAMETER

Modell	JD322
Huvudmaterial	Q235
Huvudfärg	Galvaniserad färg och grå
Produktstorlek	3 * 2 * 2m



VEVOR

Upgrade · The Home Creator Way


METALEN KIPPENHOK

MODEL: JD322

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODEL: JD322



Dit is de originele handleiding. Lees alle instructies in de handleiding zorgvuldig door voordat u het product in gebruik neemt. VEVOR behoudt zich het recht voor om de gebruikershandleiding anders te interpreteren. Het uiterlijk van het product kan afwijken van het product dat u ontvangt. Wij zullen u niet opnieuw informeren over eventuele technologische of software-updates voor ons product.

SAFETY INSTRUCTIONS

WAARSCHUWING:

Lees deze informatie voordat u dit product gebruikt. Het niet nalezen ervan kan ernstig letsel tot gevolg hebben.

Pas op voor scherpe randen tijdens de montage en het gebruik om snijwonden te voorkomen.

Dit product is uitsluitend bedoeld voor huishoudelijk gebruik, niet voor commerciële of agrarische doeleinden. Gebruik dit product niet en kom er niet in de buurt tijdens onweer of harde wind.

Montagevoorzorgsmaatregelen

31. Monteer het product uitsluitend volgens deze instructies. Onjuiste montage kan gevaarlijke situaties veroorzaken.
32. Draag tijdens de montage een ANSI-goedgekeurde veiligheidsbril en stevige werkhandschoenen.
33. Zorg ervoor dat de montageruimte schoon en goed verlicht is.
34. Houd omstanders uit de buurt tijdens de bijeenkomst.
35. Niet monteren als u moe bent of onder invloed bent van alcohol, drugs of medicijnen.
36. De producteigenschappen gelden alleen voor correct en volledig geassembleerde producten.
37. Raadpleeg voor meer informatie over de onderdelen die op de volgende pagina's worden vermeld, het montageschema in deze handleiding. Pak alle onderdelen uit en sorteer ze in een schone werkruimte.
38. Het product bestaat uit vele onderdelen. Het wordt aanbevolen om de installatie met twee personen uit te voeren, dit verkort de installatietijd.
39. Het product voldoet aan de relevante normen en voorschriften. De installatie van dit apparaat moet voldoen aan alle geldende voorschriften en het mag alleen worden gebruikt in goed geventileerde ruimtes. Lees de gebruikershandleiding voordat u dit apparaat installeert en gebruikt.
40. Dit product is geen speelgoed. Laat kinderen niet met dit artikel spelen en laat ze er niet in de buurt komen. Controleer het product voor elk

gebruik; gebruik het niet als onderdelen loszitten of beschadigd zijn.


BEWAAR DEZE HANDLEIDING

TOOLS






PARTS LIST








Artikelnummer .	Referentieafbeelding	Aantal.		Artikelnummer .	Referentieafbeelding	Aantal.
1		2		D1		1
2		5		D2		1
3		4		D3		2
4		4		D4		1
5		2		D5		1
6		1		D6		1
A		6		D7		1
C		4		D8		1


D		1		E		1


PARTS LIST

Artikelnummer .	Referentieafbeelding	Aantal.		Artikelnummer .	Referentieafbeelding	Aantal.
F	 2 4m	1		M		7
H		10		N		100
I		2		O		19
J		1		P		1
K		8		Draad		1
L		5				

ASSEMBLY STEP


STAP 1								
	1	X2	2	X2	5	X2	6	X1
								
	C	X4	D	X1	E	X1	P	X1






■ **Note:**For this product, tubes and joints are connected using button clips. Button clips are already inserted inside tubes. When connecting, press the button clip and insert one tube into the joint. Forcing the tubes in might also work but you are risking damaging the Clip.Pay attention to the orientation of Part P.

STAP 2		
	3	X4







■ Note:





There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


STAP 3				
	A	X4	2	X2




STAP 4						
	A	X2	2	X1	4	X4




STAP 5										
										
	D1	X1	D2	X1	D4	X1	D7	X1	D5	X1
										
	H	X2	I	X2	K	X3	L	X1		




■ **Note:** For screw L, you will need a power tool to drive it into tube D7.





STAP 6										
	D3	X2	D6	X1	H	X8	K	X4	L	X4




■ **Note:**Do not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L tosecure H.

STAP 7				
				
	D8	X1	K	X1






STAP 8		
	F	X1



■ Note:


In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.


STAP 9	
	F




■ **Note:**For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cut net to the tubes.Notice that the rectangular shape in the front has a greater length than the width of net roll,meaning if you roll the net vertically, the roll will not be wide enough to cover the rectangular area. In summary, please follow the arrows to roll and cut the net.

STAP 10		
	Draad	X1








■ Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

STAP 11				
	J	X1	O	X19









The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.

Optionele stap		
	M	X7





■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M.Use one M per ground joint, like C, D, E, and P.

PRODUCT PARAMETER

Model	JD322
Hoofdmateriaal	Q235
Hoofdkleur	Gegalvaniseerde kleur en grijs
Productgrootte	3 *2*2m



VEVOR

Upgrade · The Home Creator Way


POULAILLER MÉTALLIQUE

MODÈLE : JD322

VEVOR
Upgrade·The Home Creator Way

METAL CHICKEN COOP

MODÈLE : JD322



Voici le mode d'emploi original. Veuillez lire attentivement toutes les instructions du manuel avant utilisation. VEVOR se réserve le droit d'interpréter ce manuel à sa guise. L'apparence du produit que vous recevrez peut différer. Nous vous prions de nous excuser si nous ne vous informons pas des mises à jour techniques ou logicielles concernant notre produit.

SAFETY INSTRUCTIONS

AVERTISSEMENT:

Veuillez lire attentivement cette notice avant d'utiliser ce produit. Le non-respect de cette consigne peut entraîner des blessures graves.

Attention aux bords tranchants lors du montage et de l'utilisation afin d'éviter les coupures.

Ce produit est destiné à un usage domestique uniquement, et non à un usage commercial ou agricole. Ne pas utiliser ni approcher de ce produit pendant les orages ou en cas de vents violents.

précautions d'assemblage

41. Assembler uniquement selon ces instructions. Un assemblage incorrect peut engendrer des risques.
42. Portez des lunettes de sécurité homologuées ANSI et des gants de travail robustes pendant l'assemblage.
43. Maintenez la zone de rassemblement propre et bien éclairée.
44. Tenir les curieux à l'écart de la zone pendant le rassemblement.
45. Ne pas assembler en cas de fatigue ou sous l'influence de l'alcool, de drogues ou de médicaments.
46. Les capacités du produit s'appliquent uniquement aux produits correctement et entièrement assemblés.
47. Pour plus d'informations concernant les pièces mentionnées dans les pages suivantes, veuillez vous référer au schéma de montage de ce manuel. Déballez et séparez toutes les pièces dans un espace de travail propre.
48. Le produit comporte de nombreux éléments. Il est recommandé d'être deux pour l'installation, ce qui permet de réduire le temps nécessaire.
49. Ce produit est conforme aux normes et réglementations en vigueur. Son installation doit respecter toutes les réglementations applicables et son utilisation doit se faire uniquement dans des endroits bien ventilés. Veuillez lire attentivement le manuel d'utilisation avant d'installer et d'utiliser cet équipement.
50. Ce produit n'est pas un jouet. Ne laissez pas les enfants jouer avec ou à proximité de cet article. Inspectez-le avant chaque utilisation ; ne

l'utilisez pas si des pièces sont détachées ou endommagées.

CONSERVEZ CE MANUEL

TOOLS






PARTS LIST





Numéro d'article	Image de référence	Qté .		Numéro d'article	Image de référence	Qté .
1		2		D1		1
2		5		D2		1
3		4		D3		2
4		4		D4		1
5		2		D5		1
6		1		D6		1
UN		6		D7		1
C		4		D8		1


D		1		E		1


PARTS LIST

Numéro d'article	Image de référence	Qté.	Numéro d'article	Image de référence	Qté.
F	 24 m	1	M		7
H		10	N		100
je		2	O		19
J		1	P		1
K		8	Fil		1
L		5			

ASSEMBLY STEP


ÉTAPE 1								
	1	X2	2	X2	5	X2	6	X1
								
	C	X4	D	X1	E	X1	P	X1






■ **Note:**For this product, tubes and joints are connected using button clips. Button clips are already inserted inside tubes. When connecting, press the button clip and insert one tube into the joint. Forcing the tubes in might also work but you are risking damaging the Clip.Pay attention to the orientation of Part P.

ÉTAPE 2		
	3	X4







■ Note:





There are two pairs of holes on the vertical joint of Part C. When connecting Part 3 to Part C, make sure that the Button Clip is pointing to the left and right, like what's shown on the left.


ÉTAPE 3				
	UN	X4	2	X2




ÉTAPE 4						
	UN	X2	2	X1	4	X4




ÉTAPE 5										
										
	D1	X1	D2	X1	D4	X1	D7	X1	D5	X1
										
	H	X2	je	X2	K	X3	L	X1		




■ **Note:**For screw L, you will need a power tool to drive it into tube D7.




ÉTAPE 6										
										
	D3	X2	D6	X1	H	X8	K	X4	L	X4




■ **Note:**Do not worry too much about the exact location of D3 and D6. Just make sure D6 is completely covered by the two pairs of H.Notice that on the two detailed illustrations above, screw L is not used. This is so that you have some wiggle room adjusting D3 and D6. Once you are happy with the result, use screw L tosecure H.

ÉTAPE 7				
				
	D8	X1	K	X1




ÉTAPE 8		
	F	X1



■ Note:


In the package you will find the poultry net with a width of 1 meter (39 inches). When attaching the net to the chicken run structure, do not precut the net. Instead, roll the net along the tubes and cut it.The arrows on the illustrations indicate the flow of the net. Follow the arrows to roll and cut the net. Use zip-ties to fasten the net to the tubes.


ÉTAPE 9	
	F




■ **Note:**For the net placed at the back of the chicken run, we suggest rolling the net roll without measuring or precutting the net like last step. For the net placed in the front, it's easier to measure and cut the net, and then fasten the cut net to the tubes.Notice that the rectangular shape in the front has a greater length than the width of net roll,meaning if you roll the net vertically, the roll will not be wide enough to cover the rectangular area. In summary, please follow the arrows to roll and cut the net.

ÉTAPE 10		
	Fil	X1








Note

Spiral wrap the wire at the bottom to reinforce the wire mesh and steel pipe, with a distance of 15cm between each circle. The single wire should not be wrapped more than 2 meters, and it needs to be tightened during wrapping. The knot should be firm and not loosened

ÉTAPE 11				
	J	X1	O	X19









The Cover/Tarp J is secured onto the structure using bungee ball O. Use one bungee ball per grommet on the tarp. Notice that, at the four corners, use two bungee balls for one grommet.

Étape facultative		
	M	X7





■ Note

When you feel like you have chosen a perfect spot for your chicken run and do not plan to move it, you can fasten it to the ground using the anchor M.Use one M per ground joint, like C, D, E, and P.

PRODUCT PARAMETER

Modèle	JD322
Matière principale	Q235
Couleur principale	Couleur galvanisée et grise
Taille du produit	3 * 2 * 2 m

